

**Smallwood Dam –  
Gladwin County, MI**

**Four Lakes Task Force and Spicer Group,  
Inc.**

**Wetland Delineation Report**

Prepared by:



April 2021

**TABLE OF CONTENTS**

**1.0 INTRODUCTION..... 1**

**2.0 METHODS ..... 3**

    2.1 BACKGROUND INFORMATION..... 3

    2.2 INVESTIGATION METHODOLOGY ..... 3

        2.2.1 Naming Protocol ..... 3

        2.2.2 Site Photographs ..... 3

        2.2.3 Delineation Data Sheets ..... 4

        2.2.4 Survey of Wetland Boundary ..... 4

**3.0 RESULTS AND DISCUSSION ..... 5**

    3.1 DESKTOP REVIEW ..... 5

        3.1.1 USGS Topographic Map..... 5

        3.1.2 Soil Survey..... 5

        3.1.3 Mapped Wetlands ..... 5

        3.1.4 Current, Historic, and High-Resolution Aerial Imagery ..... 6

        3.1.5 Recent Climatic Conditions and Precipitation Data ..... 6

    3.2 GENERAL SITE CONDITIONS ..... 6

        3.2.1 Uplands ..... 6

        3.2.2 Wetlands..... 7

    3.3 WATERWAYS ..... 10

    3.4 OTHER WATER RESOURCES IDENTIFIED ..... 10

**4.0 SUMMARY AND CONCLUSION..... 11**

**5.0 DISCLAIMER..... 12**

**6.0 LITERATURE CITED..... 13**

**LIST OF TABLES**

Table 1-1 Summary of Wetlands ..... 1

Table 3-1 Mapped Soil Units ..... 5

Table 3-2 Mapped NWI Features ..... 5

Table 3-3 WETS Water Station Data..... 6

Table 3-4 Delineated Wetlands ..... 8

**LIST OF FIGURES**

Figure 1 Location Map

Figure 2 Topography

Figure 3 Hydrology

Figure 4 SSURGO Soil Type

Figure 5 Wetland Delineation

**LIST OF APPENDICES**

Appendix A Survey Photographs

Appendix B Wetland Delineation Data Forms – Northcentral and Northeast Region

**ACRONYM LIST**

ESRI	Environmental Systems Research Institute
FLTF	Four Lakes Task Force
GIS	Geographic Information System
GPS	Global Positioning System
Merjent	Merjent, Inc.
NHD	National Hydrography Dataset
NWI	National Wetland Inventory
OHWM	Ordinary High-Water Mark
PEM	Palustrine Emergent
PFO	Palustrine Forest
Spicer	Spicer Group, Inc.
USACE	U.S. Army Corps of Engineers
USDA-NRCS	U.S. Department of Agriculture-National Resource Conservation Service
USGS	U.S. Geological Survey
WETS	Climate Analysis for Wetlands Tables

## 1.0 INTRODUCTION

Merjent, Inc. (Merjent) performed a wetland delineation in Gladwin County, Michigan, for Four Lakes Task Force and Spicer Group Inc.'s Smallwood Dam project (Project).

In May 2020, Midland and Gladwin Counties experienced an extreme rainfall event that led to the catastrophic failure of the Edenville and Sanford Dams on the Tittabawasee River. This event led to the drawdowns of Secord, Smallwood, Wixom, and Sanford Lakes. Following the dam failures, the FLTF was formed and acquired the Edenville, Sanford, Secord, and Smallwood Dams located along the Tittabawasee River. The FLTF retained Spicer to initiate a Recovery and Feasibility Study and Design Phase to explore options for maintenance at Secord and Smallwood Dams, and restoration at Edenville and Sanford Dams. This will be followed by a Restoration Phase planned to be completed by 2026.

The wetland delineation report will be used to support future maintenance and restoration activities, planning, and identify potential project permits. The associated survey area is depicted in all accompanying figures.

Based on a field investigation conducted by Merjent on March 11 and 12, 2021, and review of desktop resources, it is our professional opinion that seven wetlands totaling 19.62 acres (Table 1-1) exist within the 65.90-acre survey area.

Wetland ID	Cowardin Classification	Size (sq. ft.)	Size (acres)
w01	PEM	124,963	2.87
w01	PFO	161,622	3.71
w02	PEM	461,204	10.59
w02	PFO	34,624	0.79
w03	PEM	5,937	0.14
w04	PFO	24,190	0.56
w05	PFO	7,875	0.18
w06	PFO	8,621	0.20
w06	PEM	1,089	0.03
w07	PFO	17,636	0.40
w07	PEM	6,949	0.16
<b>Total</b>		<b>854,713</b>	<b>19.62</b>

This report outlines the wetland delineation investigation, methodology, and its findings as completed by Merjent. This report has been compiled by the following staff that are trained and experienced in delineation methodologies and applicable regulations:

- **Erin Vander Stelt – Environmental Analyst; Report Author**

Erin Vander Stelt is an Environmental Analyst specializing in environmental field surveys and desktop reviews for threatened and endangered species, wetland delineations, and floristic quality inventories in the upper Midwest. She has over a decade of experience and training in plant identification and habitat assessments in the upper Midwest and six years of experience serving oil and gas, private, academic, electric, transportation, and development sectors as well as state and federal agencies.

- **Ken Leister – Senior Environmental Analyst; Field Biologist**

Mr. Leister is a Senior Analyst, Project Manager, and Field Biologist with over ten years of experience in ecological resource assessments and permitting for clients from various industries. His expertise includes providing project management and permitting services to clients regarding state and federal environmental laws and regulations including the Bald and Golden Eagle Protection Act, Migratory Bird Treaty Act, Endangered Species Act, Clean Water Act, National Pollution Discharge Elimination System, and National Environmental Policy Act. In addition to project management and permitting expertise, Mr. Leister is a Certified Wildlife Biologist and has experience conducting field surveys for a range of ecological resources. Past project work has included wetland delineation, general endangered species assessments and species-specific surveys for federally- and state-listed endangered species including bats, birds, reptiles, and plants.

- **Robb Roos – Senior Environmental Analyst; Field Manager; Field Biologist**

Robb has worked in the fields of wetland ecology and ecological restoration for over ten years. He holds a Master of Science degree in Biology from Grand Valley State University. Robb has led wetland delineation and threatened and endangered species survey field teams for over ten years on projects throughout the Midwest and has also completed, and instructs, State- and USACE-based wetland delineation trainings. He is currently certified as a Wetland Professional by the Society of Wetland Scientists and leads wetland delineations, habitat surveys, report writing, and permitting while managing a variety of projects.

- **Becky Norris – Environmental Analyst; GIS Analyst**

Ms. Norris is a GIS Analyst and Field Biologist with over six years of experience in GIS, data analysis, and technical support for several projects throughout the United States. Ms. Norris regularly conducts and performs GIS management for wetland delineations, habitat assessments, and other field surveys. In particular, she specializes in preparing comprehensive environmental impact analysis reports for federal and state permit applications.

## **2.0 METHODS**

### **2.1 BACKGROUND INFORMATION**

Desktop resources were used to identify potential wetlands on the site. Sources of information that were consulted to identify potential wetlands within the survey area prior to field investigation are listed below:

- USGS Topographical Map (Figure 2)
- NWI (Figure 3)
- NHD (Figure 3)
- USDA-NRCS Web Soil Survey Database for Gladwin County, Michigan (Figure 4)
- ESRI Basemap 2016 Aerial Imagery (Figure 5)
- Google Earth™ Aerial Imagery (multiple years)

### **2.2 INVESTIGATION METHODOLOGY**

The delineation of wetlands and other waters of the state were based on the methodology described in the U.S. Army Corps of Engineers Wetland Delineation Manual (Environmental Laboratory, 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast, as required by current policy. Waterways were identified in accordance with the USACE Jurisdictional Determination Form Instructional Guidebook (USACE-U.S. Environmental Protection Agency, 2007).

Prior to the field work, background information was reviewed to establish the potential location of wetlands and waterways within the survey area. Next, a general reconnaissance of the entire survey area was conducted to evaluate site conditions. On March 11 and 12, 2021, the survey area was walked with the specific intent of determining wetland boundaries. Data points were sampled during this time at locations within and near the wetland areas to document soil characteristics, evidence of hydrology, and dominant vegetation. Vegetative community boundaries were identified according to the Cowardin Classification System (Cowardin et al., 1979).

#### **2.2.1 Naming Protocol**

Features identified in associated figures and appendices are named in the following manner:

- Wetlands (w01, w02, etc.)
- Streams (s01, s02, etc.)
- Data points (dp01, dp02, etc.)
- Photo points (pp01, pp02, etc.)

#### **2.2.2 Site Photographs**

Photographs (Appendix A) provide a visual representation of wetland communities and boundaries, as well as general site conditions at the time of inspection. Photos are geospatially referenced by their associated photo point location and presented with direction taken (e.g., “pp01 view West,” “pp02 view Northeast”). Photo point locations are depicted in the wetland delineation figure (Figure 5).

### **2.2.3 Delineation Data Sheets**

The wetland determination data forms (Appendix B) are the written documentation of how representative data points meet or do not meet each of the wetland criteria (USACE, 2011). Plant species nomenclature follows the Regional Wetland Plant List (USACE, 2018). Soils were identified using the methods outlined in Field Indicators of Hydric Soils in the United States, Version 8.2 (USDA-NRCS, 2018).

### **2.2.4 Survey of Wetland Boundary**

Merjent surveyed all data point locations and wetland boundaries using GPS technology capable of sub-meter accuracy. While these surveys provide reasonably accurate spatial data, they do not provide the same level of accuracy as a professional land survey. Wetland boundaries were flagged during the field survey where acquisition of more precise survey data by Spicer was required.

### 3.0 RESULTS AND DISCUSSION

#### 3.1 DESKTOP REVIEW

##### 3.1.1 USGS Topographic Map

The USGS topographic map (Figure 2) shows gently sloping areas on either side of the Tittabawassee River that become steeper as they approach the banks of the river. Steep slopes also exist along the edges of the Smallwood Dam berm.

##### 3.1.2 Soil Survey

The NRCS soil map of the survey area (Figure 4) identified ten soil types, three of which are hydric (Table 3-1).

Symbol	Description	Hydric Soil Unit?	Acres
Bs	Bruce very fine sandy loam	Yes	0.27
CmA	Covert sand, 0 to 3 percent slopes	No	4.76
Co	Cohoctah loam	Yes	3.88
GmB	Grattan sand, loamy substratum, 0 to 6 percent slopes	No	0.22
NeD	Nester loam, 12 to 18 percent slopes	No	0.3
Ps	Pinconning loamy sand	Yes	9.02
PuA	Pipestone sand, loamy substratum, 0 to 2 percent slopes	No	4.96
UIA	Ubly sandy loam, 0 to 2 percent slopes	No	12.16
W	Water	Unranked	8.06
WxA	Selfridge loamy sand, 0 to 3 percent slopes	No	22.27
		<b>Total</b>	<b>65.90</b>

##### 3.1.3 Mapped Wetlands

The NWI map of the survey area (Figure 3) shows approximately 5.14 acres of wetlands of three types (Table 3-2). The forested wetlands are mapped in the northeast portion of the survey area as well as along the edges of the Tittabawassee River. The riverine wetlands are mapped along the Tittabawassee River course and within Smallwood Lake.

Symbol	Description	Acres
PFO1C	Palustrine forested, broad-leaved deciduous, seasonally flooded	2.25
R2UBH	Riverine lower perennial, unconsolidated bottom, permanently flooded	2.83
R5UBH	Riverine unknown perennial, unconsolidated bottom, permanently flooded	0.06
		<b>Total</b>
		<b>5.14</b>



### 3.1.4 Current, Historic, and High-Resolution Aerial Imagery

Multiple sources of historic aerial imagery were reviewed to evaluate the survey area for wetland signatures. Based on this review, possible wetland signatures were identified throughout the survey area.

### 3.1.5 Recent Climatic Conditions and Precipitation Data

Recent precipitation data were compared with historic precipitation data from a 50-year dataset (1971-2021) from a nearby WETS weather station (Gladwin, MI) to determine if normal hydrologic and climatic conditions were present on-site during the delineation. When compared, the observed precipitation data from three months prior to the delineation indicated normal precipitation conditions at the time of the delineation (Table 3-3).

TABLE 3-3

**WETS Analysis**

WETS Station GLADWIN, MI	Long-term rainfall records (1971-2021)				Actual	Condition	Condition Value	Weight	Value X Weight
	Month	<30%	Mean	>30%					
3rd Prior Month	December	1.47	2.16	2.58	2.54	Normal	2	1	2
2nd Prior Month	January	1.29	1.98	2.38	1.23	Dry	1	2	2
1st Prior Month	February	0.91	1.49	1.81	1.14	Normal	2	3	6
<b>Sum:</b>									<b>10</b>
<b>Conditions On Site:</b>						<b>Normal</b>			

<b>If sum is:</b>		<b>Condition Values:</b>
6 to 9	then prior period has been drier than normal	(1) Dry
10 to 14	then prior period has been normal	(2) Normal
15 to 18	then prior period has been wetter than normal	(3) Wet

## 3.2 GENERAL SITE CONDITIONS

Based on the field survey and review of desktop resources, it is our professional opinion that seven wetlands totaling 19.62 acres and one waterway exists within the survey area (Figure 5). Descriptions of the wetlands and waterway are provided below.

Land use on site includes Smallwood Lake in the west center and the Tittabawassee River that runs west to east through the center of the survey area. Running north from Smallwood Dam is a two track that connects to Oren Court outside the survey area. East of this two-track is an grasslandupland-emergent wetland complex, which extends west of the two-track and transitions to forested upland-wetland complex. South of the river is an undeveloped forested area that includes some scattered wetlands and Wolverine Rd along the western edge of the survey area.

### 3.2.1 Uplands

The majority of the upland areas with the survey area are forested, grassland within a clear-cut, mowed/maintained lawn, and gravel drives. The forested areas are west of the Tittabawassee River. The tree stratum is dense with red maple (*Acer rubrum*), paper birch (*Betula papyrifera*), red oak (*Quercus rubra*), and black cherry (*Prunus serotina*). The shrub layer is sparsely vegetated with saplings of red oak, red maple, and black cherry as well as American witch-hazel (*Hamamelis virginiana*) and flowering dogwood (*Cornus florida*). The herb layer is sparsely

vegetated with eastern teaberry (*Gaultheria procumbens*), Pennsylvania sedge (*Carex pennsylvanica*), and Northern bracken fern (*Pteridium aquilinum*). Forested areas were topographically diverse with intermixed upland and wetland areas.

North of the Tittabawassee River, along the banks of the river, and along the Smallwood Dam berm is mowed/maintained lawn. The herb layer of these areas is densely vegetated with Kentucky blue grass (*Poa pratensis*), smooth brome (*Bromus inermis*), English plantain (*Plantago lanceolata*), and barnyard grass (*Echinochloa crus-galli*).

The upland grassland areas are located north of the Tittabawassee River in a clear-cut area that still contains cut woody debris. These areas border emergent wetlands w01 and w02 and the gravel two-track that runs north of the Tittabawassee River. The tree and shrub strata are sparsely vegetated with bigtooth aspen (*Populus grandidentata*) and common buckthorn (*Rhamnus cathartica*). The herb stratum is densely vegetated with flat-stem blue grass (*Poa compressa*), Northern bracken fern, graceful sedge (*Carex gracillima*), and Pennsylvania sedge.

### **3.2.2 Wetlands**

A total of seven wetlands were identified to community type within the survey area (Figure 5) according to Cowardin classification. Summaries of these features are provided below (Table 3-4), and more detailed information for associated data points may be found in wetland determination forms (Appendix B).

TABLE 3-4

Delineated Wetlands

Wetland ID	Community Type	Acreage	Hydrology Indicators	Dominant Vegetation	Hydric Soil Indicators	Associated Data Points
w01	PEM	2.87	High Water Table (A2), Saturation (A3), Geomorphic Position (D2), Microtopographic Relief (D4), and FAC-Neutral Test (D5)	Red osier ( <i>Cornus alba</i> , FACW) and bluejoint ( <i>Calamagrostis canadensis</i> , OBL)	Depleted Below Dark Surface (A11) and Sandy Redox (S5)	dp20
w01	PFO	3.71	High Water Table (A2), Saturation (A3), Geomorphic Position (D2), and FAC-Neutral Test (D5)	Red maple ( <i>Acer rubrum</i> , FAC), green ash ( <i>Fraxinus pennsylvanica</i> , FACW), eastern woodland sedge ( <i>Carex blanda</i> , FAC), and sweet wood-reed ( <i>Cinna arundinacea</i> , FACW)	Depleted Below Dark Surface (A11) and Sandy Redox (S5)	dp02, dp03
w02	PEM	10.59	High Water Table (A2), Saturation (A3), Geomorphic Position (D2), Microtopographic Relief (D4), and FAC-Neutral Test	Jack pine ( <i>Pinus banksiana</i> , FACU), red osier, bluejoint, lesser poverty rush ( <i>Juncus tenuis</i> , FAC), cottongrass bulrush ( <i>Scirpus cyperinus</i> , OBL), lamp rush ( <i>Juncus effusus</i> , OBL), retrorse sedge ( <i>Carex retrorsa</i> , OBL)	Depleted Below Dark Surface (A11), Sandy Redox (S5), Dark Surface (S7), Depleted Matrix (F3), and Redox Dark Surface (F6)	dp10, dp12, dp14, dp16, dp17
w02	PFO	0.79	High Water Table (A2), Saturation (A3), Geomorphic Position (D2), Microtopographic Relief (D4), and FAC-Neutral Test (D5)	Red maple, swamp white oak ( <i>Quercus bicolor</i> , FACW), green ash, gray dogwood ( <i>Cornus racemosa</i> , FAC), quaking aspen ( <i>Populus tremuloides</i> , FAC), sensitive fern ( <i>Onoclea sensibilis</i> , FACW), greater bladder sedge ( <i>Carex intumescens</i> , FACW), sweet wood-reed, and eastern woodland sedge	Depleted Below Dark Surface (A11) and Dark Surface (S7)	dp06, dp08
w03	PEM	0.14	Wetland w03 was hydrologically connected to w02 and exhibited similar characteristics. A separate data point was not recorded for w03.	-	-	dp17
w04	PFO	0.56	Saturation (A3), Sediment Deposits (B2), Drift Deposits (B3), Dry-Season Water Table (C2), Geomorphic Position (D2), FAC-Neutral Test (D5)	American basswood ( <i>Tilia americana</i> , FACU), green ash, downy service-berry ( <i>Amelanchier arborea</i> , FACU), royal fern ( <i>Osmunda spectabilis</i> , OBL), and farewell-summer ( <i>Symphytotrichum lateriflorum</i> , FAC)	Redox Dark Surface (F6)	dp21
w05	PFO	0.18	High Water Table (A2), Saturation (A3), Geomorphic Position (D2), and Microtopographic Relief (D4)	Big-tooth aspen ( <i>Populus grandidentata</i> , FACU), green ash, farewell-summer, riverbank grape ( <i>Vitis riparia</i> , FAC), and poison ivy ( <i>Toxicodendron radicans</i> , FAC)	Dark Surface (S7)	dp25

Smallwood Dam - Gladwin County, Michigan  
Wetland Delineation Report

w06	PFO	0.20	Geomorphic Position (D2) and FAC-Neutral Test (D5)	Quaking aspen, green ash, common fox sedge ( <i>Carex vulpinoidea</i> , OBL), dark green bulrush ( <i>Scirpus atrovirens</i> , OBL), common selfheal ( <i>Prunella vulgaris</i> , FAC), and farewell-summer	Redox Dark Surface (F6) and Redox Depressions (F8)	dp27
w06	PEM	0.03	Wetland w06 PEM was hydrologically connected to w06 PFO. A separate data point was not recorded for w06 PEM.	-	-	dp27
w07	PFO	0.40	Surface Water (A1), Geomorphic Position (D2), and FAC-Neutral Test (D5)	Big-tooth aspen, green ash, black ash ( <i>Fraxinus nigra</i> , FACW), sensitive fern, and unknown sedge species ( <i>Carex sp.</i> , FAC)	Depleted Below Dark Surface (A11), Loamy Mucky Mineral (F1), and Depleted Matrix (F3)	dp30
w07	PEM	0.16	Wetland w07 PEM was hydrologically connected to w06 PFO. A separate data point was not recorded for w07 PEM.	-	-	dp30

### **3.3 WATERWAYS**

Merjent determined that one waterway exists within the survey area. The Tittabawassee River flows north to south through the Smallwood Dam. Delineated waterway boundaries are approximate as unsafe and unstable terrain and steep slopes limited access to the waterway edges. Representative photographs of the waterway are provided in Appendix A.

### **3.4 OTHER WATER RESOURCES IDENTIFIED**

Smallwood Lake is located north of Smallwood Dam. The Tittabawassee River runs through the Smallwood Lake basin. The lake basin is reduced from its historic size on both the east and west edges. Approximate current Smallwood Lake margins are shown in Figure 5. These boundaries are approximate due to unsafe, unstable, and steep slopes which limited access to some of the old lake bottom areas.

#### **4.0 SUMMARY AND CONCLUSION**

Merjent performed a wetland delineation for the Smallwood Dam project in Gladwin County, Michigan.

Based on the field survey, it is our professional opinion that eight wetlands totaling 19.62 acres and one waterway exist within the 65.90-acre survey area. This report represents our best professional judgment based on our local knowledge and experience.

## **5.0 DISCLAIMER**

The wetlands identified for this report may be subject to regulation by federal, state, and/or local jurisdiction. These authorities may require a professional land survey of the delineated boundaries to verify impacts for regulatory purposes.



The field survey results presented herein apply to the existing and reasonably foreseeable site conditions at the time of the assessment. They cannot apply to site changes of which Merjent is unaware and has not had the opportunity to review. Changes in the condition of a property may occur with time due to the natural processes or human impacts at the project site or on adjacent properties. Changes in applicable standards may also occur as a result of legislation or the expansion of knowledge over time. Accordingly, the findings of this report may be invalidated, wholly or in part, by changes beyond the control of Merjent.

## 6.0 LITERATURE CITED

- Cowardin, L. M., V. Carter, F. C. Golet, E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 131pp.
- Environmental Laboratory. 1987. *U.S. Army Corps of Engineers' Wetland Delineation Manual*, Technical Report Y-87-1, U.S. Waterways Experiment Station, Vicksburg, MS.
- U.S. Army Corps of Engineers. 2011. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, C. V. Noble, and J. F. Berkowitz. ERDC/EL TR-12-1. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- USACE. 2018. National Wetland Plant List, version 3.4. <http://wetland-plants.usace.army.mil/>
- United States Department of Agriculture (USDA), Natural Resource Conservation Service (NRCS). Web Soil Survey. *Soil Survey of Gladwin County, MI*. Accessed March 2021.
- USDA Field Office Climate Data. Available online at <http://agacis.rcc-acis.org/?fips=26051> accessed March 2021.
- USDA-NRCS. 2018. *Field Indicators of Hydric Soils in the United States*, Version 8.2. Edited by L.M. Vasilas, G.W. Hurt, and J.F. Berkowitz (eds.). USDA, NRCS, in cooperation with the National Technical Committee for Hydric Soils.



**Figure 1**  
**Location Map**






**Project Location**  
**Smallwood Dam Site**  
**Spicer Group**  
**Gladwin County, Michigan**




Survey Area



**Figure 2**  
**Topography**




Topography  
Smallwood Dam Site  
Spicer Group  
Gladwin County, Michigan

 Survey Area



**Figure 3**  
**Hydrology**



**Hydrology  
Smallwood Dam Site  
Spicer Group  
Gladwin County, Michigan**



Survey Area



NWI Wetland





NHD Waterway



NHD Waterbody



**Figure 4**  
**SSURGO Soil Type**



**SSURGO Soil Type  
Smallwood Dam Site  
Spicer Group  
Gladwin County, Michigan**

- Survey Area
- Non-Hydric Soil
- Hydric Soil
- Water



For Environmental Review Purposes Only

Date: (3/25/2021) Source: Z:\Clients\Gladwin\SSURGO\_SmallwoodDamSite\SSURGO\_SoilType.mxd



**Figure 5**  
**Wetland Delineation**



\*Some delineated waterway boundaries are approximate; as unsafe/unstable terrain and steep slopes limited access to old lake bottom areas.

0 50 100  
Feet

For Environmental Review Purposes Only

**Wetland Delineation  
Smallwood Dam Site  
Spicer Group  
Gladwin County, Michigan**


- Survey Area
- Photo Point
- Wetland Data Point
- PEM Wetland
- PFO Wetland
- Delineated Waterway\*



Date: (3/25/2021) Source: Z:\Clients\Gladwin\Spicer\Secord\_Smallwood\Final\_Data\Smallwood\Final\XDS\delineation1.mxd



\*Some delineated waterway boundaries are approximate; as unsafe/unstable terrain and steep slopes limited access to old lake bottom areas.




**Wetland Delineation  
Smallwood Dam Site  
Spicer Group  
Gladwin County, Michigan**

- Survey Area
- + Photo Point
- Wetland Data Point
- + PEM Wetland
- + PFO Wetland
- + Delineated Waterway\*





\*Some delineated waterway boundaries are approximate;  
as unsafe/unstable terrain and steep slopes limited access  
to old lake bottom areas.



**Wetland Delineation  
Smallwood Dam Site  
Spicer Group  
Gladwin County, Michigan**

- |   |                    |   |                      |
|---|--------------------|---|----------------------|
|  | Survey Area        |  | PEM Wetland          |
|  | Photo Point        |  | PFO Wetland          |
|  | Wetland Data Point |  | Delineated Waterway* |



**Appendix A**  
**Survey Photographs**



Photograph pp01 view East at dp08



Photograph pp01 view North at dp08



Photograph pp01 view South at dp08



Photograph pp01 view West at dp08



Photograph pp02 view East at dp07



Photograph pp02 view North at dp07





Photograph pp02 view South at dp07



Photograph pp02 view West at dp07



Photograph pp03 view East at dp01



Photograph pp03 view North at dp01



Photograph pp03 view South at dp01



Photograph pp03 view West at dp01



Photograph pp04 view East at dp02



Photograph pp04 view North at dp02



Photograph pp04 view South at dp02



Photograph pp04 view West at dp02



Photograph pp05 view East at dp04



Photograph pp05 view North at dp04



Photograph pp05 view South at dp04



Photograph pp05 view West at dp04



Photograph pp06 view East at dp03



Photograph pp06 view North at dp03





Photograph pp06 view South at dp03



Photograph pp06 view West at dp03



Photograph pp07 view East



Photograph pp07 view North



Photograph pp07 view South



Photograph pp07 view West



Photograph pp08 view East



Photograph pp08 view North



Photograph pp08 view West



Photograph pp09 view East at dp05



Photograph pp09 view North at dp05



Photograph pp09 view South at dp05



Photograph pp09 view West at dp05



Photograph pp10 view East at dp06



Photograph pp10 view North at dp06



Photograph pp10 view South at dp06





Photograph pp10 view West at dp06



Photograph pp11 view East



Photograph pp11 view North



Photograph pp11 view South



Photograph pp11 view West



Photograph pp12 view East



Photograph pp12 view North



Photograph pp12 view South



Photograph pp12 view West



Photograph pp13 view East at dp10



Photograph pp13 view North at dp10



Photograph pp13 view South at dp10



Photograph pp13 view West at dp10



Photograph pp14 view East at dp09



Photograph pp14 view North at dp09



Photograph pp14 view South at dp09





Photograph pp14 view West at dp09



Photograph pp15 view East



Photograph pp15 view North



Photograph pp15 view South



Photograph pp15 view West



Photograph pp16 view East



Photograph pp16 view North



Photograph pp16 view South



Photograph pp16 view West



Photograph pp17 view East



Photograph pp17 view West



Photograph pp18 view East



Photograph pp18 view North



Photograph pp18 view South




Photograph pp18 view West



Photograph pp19 view East at dp20





Photograph pp19 view North at dp20



Photograph pp19 view South at dp20



Photograph pp19 view West at dp20



Photograph pp20 view East at dp19



Photograph pp20 view North at dp19



Photograph pp20 view South at dp19



Photograph pp20 view West at dp19



Photograph pp21 view East



Photograph pp21 view North



Photograph pp21 view South



Photograph pp21 view West



Photograph pp22 view East at dp12



Photograph pp22 view North at dp12



Photograph pp22 view South at dp12



Photograph pp22 view West at dp12



Photograph pp23 view East at dp11





Photograph pp23 view North at dp11



Photograph pp23 view South at dp11



Photograph pp23 view West at dp11



Photograph pp24 view East



Photograph pp24 view North



Photograph pp24 view South



Photograph pp24 view West



Photograph pp25 view East



Photograph pp25 view North



Photograph pp25 view South



Photograph pp25 view West



Photograph pp26 view East at dp13



Photograph pp26 view North at dp13



Photograph pp26 view South at dp13



Photograph pp26 view West at dp13



Photograph pp27 view East at dp14





Photograph pp27 view North at dp14



Photograph pp27 view South at dp14



Photograph pp27 view West at dp14



Photograph pp28 view East



Photograph pp28 view North



Photograph pp28 view South



Photograph pp28 view West



Photograph pp29 view East at dp15



Photograph pp29 view North at dp15



Photograph pp29 view South at dp15



Photograph pp29 view West at dp15



Photograph pp30 view East at dp16



Photograph pp30 view North at dp16



Photograph pp30 view South at dp16



Photograph pp30 view West at dp16



Photograph pp31 view East





Photograph pp31 view North



Photograph pp31 view South



Photograph pp31 view West



Photograph pp32 view East



Photograph pp32 view North



Photograph pp32 view South



Photograph pp32 view West



Photograph pp33 view North



Photograph pp34 view East at dp17



Photograph pp34 view North at dp17



Photograph pp34 view South at dp17



Photograph pp34 view West at dp17



Photograph pp35 view North



Photograph pp35 view Southwest



Photograph pp36 view East at dp18



Photograph pp36 view North at dp18





Photograph pp36 view South at dp18



Photograph pp36 view West at dp18



Photograph pp37 view East



Photograph pp37 view North



Photograph pp37 view South



Photograph pp37 view West



Photograph pp38 view East



Photograph pp38 view North



Photograph pp38 view South towards dp23



Photograph pp38 view West



Photograph pp39 view East



Photograph pp39 view North



Photograph pp39 view South



Photograph pp40 view North



Photograph pp41 view East



Photograph pp41 view North





Photograph pp41 view West



Photograph pp42 view West towards dp27



Photograph pp43 view North



Photograph pp43 view South



Photograph pp43 view West



Photograph pp44 view East



Photograph pp44 view North



Photograph pp44 view West



Photograph pp45 view East



Photograph pp45 view West

**Appendix B**  
**Wetland Delineation Data Forms –**  
**Northcentral and Northeast Region**

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp01  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): riser Local relief (concave, convex, none): convex Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9640777 Long: -84.335725 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>    </u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b>	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Water Table Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>15</u>	
Saturation Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>14</u> (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
Recent snow melt prompted saturation at the immediate soil surface. However, saturation associated with the water table was recorded for the purposes of this form, above.





**SOIL**

Sampling Point: dp01

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 2/2	100					Sandy	
5-17	10YR 5/1	100					Sandy	
17-24	10YR 5/1	70	10YR 5/6	30	C	M	Sandy	Prominent redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_

Depth (inches): \_\_\_\_\_

**Hydric Soil Present?**      Yes       No

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp02  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): toeslope, depression Local relief (concave, convex, none): concave Slope %: 0-1  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9639117 Long: -84.3357463 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u> Hydric Soil Present? Yes <u>X</u> No <u>    </u> Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>                    </u>
---	---

Remarks: (Explain alternative procedures here or in a separate report.)

### HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> ___ Surface Water (A1)                      ___ Water-Stained Leaves (B9) <u>X</u> High Water Table (A2)                    ___ Aquatic Fauna (B13) <u>X</u> Saturation (A3)                            ___ Marl Deposits (B15) ___ Water Marks (B1)                        ___ Hydrogen Sulfide Odor (C1) ___ Sediment Deposits (B2)                ___ Oxidized Rhizospheres on Living Roots (C3) ___ Drift Deposits (B3)                      ___ Presence of Reduced Iron (C4) ___ Algal Mat or Crust (B4)                 ___ Recent Iron Reduction in Tilled Soils (C6) ___ Iron Deposits (B5)                        ___ Thin Muck Surface (C7) ___ Inundation Visible on Aerial Imagery (B7) ___ Other (Explain in Remarks) ___ Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> ___ Surface Soil Cracks (B6) ___ Drainage Patterns (B10) ___ Moss Trim Lines (B16) ___ Dry-Season Water Table (C2) ___ Crayfish Burrows (C8) ___ Saturation Visible on Aerial Imagery (C9) ___ Stunted or Stressed Plants (D1) <u>X</u> Geomorphic Position (D2) ___ Shallow Aquitard (D3) ___ Microtopographic Relief (D4) <u>X</u> FAC-Neutral Test (D5)
--	---

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>3</u> Saturation Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>0</u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp02

<u>Tree Stratum</u> (Plot size: <u>30'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Acer rubrum</u>	<u>40</u>	<u>Yes</u>	<u>FAC</u>
2.	<u>Fraxinus pennsylvanica</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		<u>50</u>	<u>=Total Cover</u>	
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Acer rubrum</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		<u>20</u>	<u>=Total Cover</u>	
<u>Herb Stratum</u> (Plot size: <u>5'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Carex blanda</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>
2.	<u>Cinna arundinacea</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
8.	_____	_____	_____	_____
9.	_____	_____	_____	_____
10.	_____	_____	_____	_____
11.	_____	_____	_____	_____
12.	_____	_____	_____	_____
		<u>20</u>	<u>=Total Cover</u>	
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>None</u>	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
		_____	<u>=Total Cover</u>	

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>20</u>	x 2 = <u>40</u>
FAC species <u>70</u>	x 3 = <u>210</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>90</u> (A)	<u>250</u> (B)
Prevalence Index = B/A = <u>2.78</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - X 2 - Dominance Test is >50%
  - X 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes   X        No       

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp02

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-3	10YR 2/1	98	10YR 5/1	2	D	M	Sandy	
3-24	10YR 5/1	70	10YR 3/6	30	C	M	Sandy	Prominent redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes X No \_\_\_\_\_

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp03  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E  
 Landform (hillside, terrace, etc.): footslope, depression Local relief (concave, convex, none): concave Slope %: 1-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.963954 Long: -84.334609 Datum: WGS 84  
 Soil Map Unit Name: Pinconning loamy sand NWI classification: None  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u> Hydric Soil Present? Yes <u>X</u> No <u>    </u> Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>    </u>
Remarks: (Explain alternative procedures here or in a separate report.)	

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u>	<u>Secondary Indicators (minimum of two required)</u>
___ Surface Water (A1) <u>X</u> Water-Stained Leaves (B9) <u>X</u> High Water Table (A2)                      ___ Aquatic Fauna (B13) <u>X</u> Saturation (A3)                                ___ Marl Deposits (B15) ___ Water Marks (B1)                           ___ Hydrogen Sulfide Odor (C1) ___ Sediment Deposits (B2)                   ___ Oxidized Rhizospheres on Living Roots (C3) ___ Drift Deposits (B3)                         ___ Presence of Reduced Iron (C4) ___ Algal Mat or Crust (B4)                     ___ Recent Iron Reduction in Tilled Soils (C6) ___ Iron Deposits (B5)                          ___ Thin Muck Surface (C7) ___ Inundation Visible on Aerial Imagery (B7) ___ Other (Explain in Remarks) ___ Sparsely Vegetated Concave Surface (B8)	___ Surface Soil Cracks (B6) ___ Drainage Patterns (B10) ___ Moss Trim Lines (B16) ___ Dry-Season Water Table (C2) ___ Crayfish Burrows (C8) ___ Saturation Visible on Aerial Imagery (C9) ___ Stunted or Stressed Plants (D1) <u>X</u> Geomorphic Position (D2) ___ Shallow Aquitard (D3) ___ Microtopographic Relief (D4) <u>X</u> FAC-Neutral Test (D5)

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>X</u> No <u>X</u> Depth (inches): <u>3</u> Saturation Present? Yes <u>X</u> No <u>X</u> Depth (inches): <u>0</u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**SOIL**

Sampling Point: dp03

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 2/1	100					Sandy	
4-24	10YR 4/2	95	10YR 3/6	5	C	M	Sandy	Prominent redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:

This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp04  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): shoulder slope Local relief (concave, convex, none): convex Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.964055 Long: -84.334602 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>    </u> No <u>X</u> Hydric Soil Present? Yes <u>    </u> No <u>X</u> Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
---	---

Remarks: (Explain alternative procedures here or in a separate report.)

### HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> ___ Surface Water (A1)                      ___ Water-Stained Leaves (B9) ___ High Water Table (A2)                   ___ Aquatic Fauna (B13) ___ Saturation (A3)                           ___ Marl Deposits (B15) ___ Water Marks (B1)                         ___ Hydrogen Sulfide Odor (C1) ___ Sediment Deposits (B2)                 ___ Oxidized Rhizospheres on Living Roots (C3) ___ Drift Deposits (B3)                       ___ Presence of Reduced Iron (C4) ___ Algal Mat or Crust (B4)                   ___ Recent Iron Reduction in Tilled Soils (C6) ___ Iron Deposits (B5)                         ___ Thin Muck Surface (C7) ___ Inundation Visible on Aerial Imagery (B7) ___ Other (Explain in Remarks) ___ Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> ___ Surface Soil Cracks (B6) ___ Drainage Patterns (B10) ___ Moss Trim Lines (B16) ___ Dry-Season Water Table (C2) ___ Crayfish Burrows (C8) ___ Saturation Visible on Aerial Imagery (C9) ___ Stunted or Stressed Plants (D1) ___ Geomorphic Position (D2) ___ Shallow Aquitard (D3) ___ Microtopographic Relief (D4) ___ FAC-Neutral Test (D5)
--	---

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>17</u> Saturation Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>16</u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 Recent snowmelt saturated the upper couple inches of the soil profile. Saturation recorded associated with the water table is noted above.



**VEGETATION** – Use scientific names of plants.

Sampling Point: dp04

<u>Tree Stratum</u> (Plot size: <u>30'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Populus grandidentata</u>	<u>35</u>	<u>Yes</u>	<u>FACU</u>
2.	<u>Acer saccharum</u>	<u>10</u>	<u>No</u>	<u>FACU</u>
3.	<u>Quercus rubra</u>	<u>5</u>	<u>No</u>	<u>FACU</u>
4.	<u>Acer rubrum</u>	<u>5</u>	<u>No</u>	<u>FAC</u>
5.				
6.				
7.				
		<u>55</u>	<u>=Total Cover</u>	
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Populus grandidentata</u>	<u>35</u>	<u>Yes</u>	<u>FACU</u>
2.				
3.				
4.				
5.				
6.				
7.				
		<u>35</u>	<u>=Total Cover</u>	
<u>Herb Stratum</u> (Plot size: <u>5'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Pteridium aquilinum</u>	<u>30</u>	<u>Yes</u>	<u>FACU</u>
2.	<u>Cornus canadensis</u>	<u>2</u>	<u>No</u>	<u>FAC</u>
3.	<u>Quercus rubra</u>	<u>2</u>	<u>No</u>	<u>FACU</u>
4.	<u>Gaultheria procumbens</u>	<u>2</u>	<u>No</u>	<u>FACU</u>
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
		<u>36</u>	<u>=Total Cover</u>	
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>None</u>			
2.				
3.				
4.				
			<u>=Total Cover</u>	

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>0</u>	x 2 = <u>0</u>
FAC species <u>7</u>	x 3 = <u>21</u>
FACU species <u>119</u>	x 4 = <u>476</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>126</u> (A)	<u>497</u> (B)
Prevalence Index = B/A = <u>3.94</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes         No   X  

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp04

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 2/2	100					Sandy	
6-24	10YR 5/1	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp05  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): riser Local relief (concave, convex, none): convex Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.963748 Long: -84.333941 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> Surface Water (A1)	<u>    </u> Drainage Patterns (B10)
<u>    </u> High Water Table (A2)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Saturation (A3)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Water Marks (B1)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Drift Deposits (B3)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Iron Deposits (B5)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> FAC-Neutral Test (D5)

<b>Field Observations:</b>	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
(includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
No water table observed.



**SOIL**

Sampling Point: dp05

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 2/2	100					Sandy	
5-16	10YR 5/2	100					Sandy	
16-24	7.5YR 4/4	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))





**SOIL**

Sampling Point: dp06

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-7	10YR 2/1	100					Sandy	
7-24	10YR 2/1	80	10YR 3/6	20	C	M	Sandy	Prominent redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- ? Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<p><b>Restrictive Layer (if observed):</b></p> <p>Type: _____</p> <p>Depth (inches): _____</p>	<p><b>Hydric Soil Present?</b>      Yes <u>X</u>    No _____</p>
--	--

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))



**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp07  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): shoulder slope Local relief (concave, convex, none): convex Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.964182 Long: -84.333534 Datum: WGS 84  
 Soil Map Unit Name: Selfridge loamy sand, 0 to 3 percent slopes NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>    </u>
Hydic Soil Present?	Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>		<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>		
<u>    </u> Surface Water (A1)	<u>    </u> Water-Stained Leaves (B9)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Aquatic Fauna (B13)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Marl Deposits (B15)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Hydrogen Sulfide Odor (C1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Presence of Reduced Iron (C4)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Thin Muck Surface (C7)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Other (Explain in Remarks)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)		<u>    </u> Microtopographic Relief (D4)
		<u>    </u> FAC-Neutral Test (D5)

<b>Field Observations:</b>				<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present?	Yes <u>    </u> No <u>X</u>	Depth (inches):	<u>    </u>	
Water Table Present?	Yes <u>X</u> No <u>    </u>	Depth (inches):	<u>22</u>	
Saturation Present?	Yes <u>X</u> No <u>    </u>	Depth (inches):	<u>24</u>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**SOIL**

Sampling Point: dp07

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 2/1	100					Sandy	
4-24	10YR 5/1	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp08  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): footslope, depression Local relief (concave, convex, none): concave Slope %: 1-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.96425 Long: -84.333531 Datum: WGS 84

Soil Map Unit Name: Selfridge loamy sand, 0 to 3 percent slopes NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present? Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>  X</u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>  X</u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Oxidized Rhizospheres on Living Roots (C3)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Iron Deposits (B5)	<u>    </u> Presence of Reduced Iron (C4)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>  X</u> Geomorphic Position (D2)
	<u>    </u> Shallow Aquitard (D3)
	<u>    </u> Microtopographic Relief (D4)
	<u>  X</u> FAC-Neutral Test (D5)

<b>Field Observations:</b>	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
Surface Water Present? Yes <u>    </u> No <u>  X</u> Depth (inches): <u>    </u>	
Water Table Present? Yes <u>  X</u> No <u>    </u> Depth (inches): <u>  9</u>	
Saturation Present? Yes <u>  X</u> No <u>    </u> Depth (inches): <u>  8</u>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp08

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>Acer rubrum</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>
2. <u>Quercus bicolor</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>
3. <u>Fraxinus pennsylvanica</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>
4. <u>Populus tremuloides</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>50</u> =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>Hamamelis virginiana</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>
2. <u>Cornus racemosa</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>
3. <u>Acer rubrum</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>15</u> =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Cornus racemosa</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>
2. <u>Onclea sensibilis</u>	<u>15</u>	<u>Yes</u>	<u>FACW</u>
3. <u>Carex intumescens</u>	<u>15</u>	<u>Yes</u>	<u>FACW</u>
4. <u>Cinna arundinacea</u>	<u>2</u>	<u>No</u>	<u>FACW</u>
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
<u>52</u> =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 9 (A)

Total Number of Dominant Species Across All Strata: 10 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 90.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>52</u>	x 2 = <u>104</u>
FAC species <u>60</u>	x 3 = <u>180</u>
FACU species <u>5</u>	x 4 = <u>20</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>117</u> (A)	<u>304</u> (B)
Prevalence Index = B/A = <u>2.60</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - X 2 - Dominance Test is >50%
  - X 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes X      No   

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp08

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 2/1	100					Sandy	
5-24	10YR 4/1	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input type="checkbox"/> No <input type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp09  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): shoulder slope Local relief (concave, convex, none): convex Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.963204 Long: -84.332927 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>		<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>		
<u>    </u> Surface Water (A1)	<u>    </u> Water-Stained Leaves (B9)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Aquatic Fauna (B13)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Marl Deposits (B15)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Hydrogen Sulfide Odor (C1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Presence of Reduced Iron (C4)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Thin Muck Surface (C7)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Other (Explain in Remarks)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)		<u>    </u> Microtopographic Relief (D4)
		<u>    </u> FAC-Neutral Test (D5)

<b>Field Observations:</b>				<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present?	Yes <u>    </u> No <u>X</u>	Depth (inches):	<u>    </u>	
Water Table Present?	Yes <u>X</u> No <u>X</u>	Depth (inches):	<u>17</u>	
Saturation Present?	Yes <u>X</u> No <u>X</u>	Depth (inches):	<u>15</u>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp09

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Poa compressa</u>	<u>35</u>	<u>Yes</u>	<u>FACU</u>
2. <u>Pteridium aquilinum</u>	<u>30</u>	<u>Yes</u>	<u>FACU</u>
3. <u>Carex gracillima</u>	<u>10</u>	<u>No</u>	<u>FACU</u>
4. <u>Solidago canadensis</u>	<u>5</u>	<u>No</u>	<u>FACU</u>
5. <u>Rubus allegheniensis</u>	<u>5</u>	<u>No</u>	<u>FACU</u>
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>0</u>	x 2 = <u>0</u>
FAC species <u>0</u>	x 3 = <u>0</u>
FACU species <u>85</u>	x 4 = <u>340</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>85</u> (A)	<u>340</u> (B)
Prevalence Index = B/A = <u>4.00</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes         No   X  

Remarks: (Include photo numbers here or on a separate sheet.)



**SOIL**

Sampling Point: dp09

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-2	10YR 2/2	100					Sandy	
2-12	10YR 4/2	100					Sandy	
12-24	10YR 5/2	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp10  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): toeslope, depression Local relief (concave, convex, none): concave Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.963302 Long: -84.332898 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present? Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>  X</u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>  X</u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>  X</u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>  X</u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>  X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>  X</u> No <u>    </u> Depth (inches): <u>  7</u> Saturation Present? Yes <u>  X</u> No <u>    </u> Depth (inches): <u>  4</u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>  X</u> No <u>    </u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp10

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Scirpus cyperinus</u>	<u>35</u>	<u>Yes</u>	<u>OBL</u>
2. <u>Juncus effusus</u>	<u>35</u>	<u>Yes</u>	<u>OBL</u>
3. <u>Solidago gigantea</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
4. <u>Doellingeria umbellata</u>	<u>2</u>	<u>No</u>	<u>FACW</u>
5. <u>Symphyotrichum lanceolatum</u>	<u>2</u>	<u>No</u>	<u>FACW</u>
6. <u>Gnaphalium obtusifolium</u>	<u>2</u>	<u>No</u>	<u>UPL</u>
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>70</u>	x 1 = <u>70</u>
FACW species <u>9</u>	x 2 = <u>18</u>
FAC species <u>0</u>	x 3 = <u>0</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>2</u>	x 5 = <u>10</u>
Column Totals: <u>81</u> (A)	<u>98</u> (B)
Prevalence Index = B/A = <u>1.21</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes       No

Remarks: (Include photo numbers here or on a separate sheet.)



**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp11  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): shoulder slope, riser Local relief (concave, convex, none): convex Slope %: 1-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9623909 Long: -84.3330507 Datum: WGS 84

Soil Map Unit Name: Selfridge loamy sand, 0 to 3 percent slopes NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>    </u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b>	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
No wetland hydrology was observed at this location.

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp11

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>Populus grandidentata</u>	<u>25</u>	<u>Yes</u>	<u>FACU</u>
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Pteridium aquilinum</u>	<u>65</u>	<u>Yes</u>	<u>FACU</u>
2. <u>Carex gracillima</u>	<u>5</u>	<u>No</u>	<u>FACU</u>
3. <u>Panicum capillare</u>	<u>2</u>	<u>No</u>	<u>FAC</u>
4. _____			
5. _____			
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>0</u>	x 2 = <u>0</u>
FAC species <u>2</u>	x 3 = <u>6</u>
FACU species <u>95</u>	x 4 = <u>380</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>97</u> (A)	<u>386</u> (B)
Prevalence Index = B/A = <u>3.98</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
- Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes         No   X  

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp11

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 2/1	100					Sandy	
6-10	10YR 4/2	100					Sandy	
10-24	7.5YR 5/8	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks:

This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp12  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): footslope, depression Local relief (concave, convex, none): concave Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9623506 Long: -84.3331491 Datum: WGS 84

Soil Map Unit Name: Selfridge loamy sand, 0 to 3 percent slopes NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>    </u>
Hydric Soil Present?	Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present?	Yes <u>X</u> No <u>    </u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>X</u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>X</u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>X</u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>X</u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

**Field Observations:**

Surface Water Present?	Yes <u>    </u> No <u>X</u>	Depth (inches): <u>    </u>	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
Water Table Present?	Yes <u>X</u> No <u>X</u>	Depth (inches): <u>12</u>	
Saturation Present?	Yes <u>X</u> No <u>X</u>	Depth (inches): <u>10</u>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**VEGETATION** – Use scientific names of plants.

Sampling Point: dp12

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Scirpus cyperinus</u>	<u>35</u>	<u>Yes</u>	<u>OBL</u>
2. <u>Juncus effusus</u>	<u>30</u>	<u>Yes</u>	<u>OBL</u>
3. <u>Centaurea stoebe</u>	<u>1</u>	<u>No</u>	<u>UPL</u>
4. _____			
5. _____			
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>65</u>	x 1 = <u>65</u>
FACW species <u>0</u>	x 2 = <u>0</u>
FAC species <u>0</u>	x 3 = <u>0</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>1</u>	x 5 = <u>5</u>
Column Totals: <u>66</u> (A)	<u>70</u> (B)
Prevalence Index = B/A = <u>1.06</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diamet at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes       No   

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp12

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 2/1	100					Sandy	
6-24	7.5YR 4/2	60	7.5YR 4/6	40	C	M	Sandy	Prominent redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

<b>Hydric Soil Indicators:</b>		<b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b>	
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Polyvalue Below Surface (S8) ( <b>LRR R, MLRA 149B</b> )	<input type="checkbox"/> 2 cm Muck (A10) ( <b>LRR K, L, MLRA 149B</b> )	
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Thin Dark Surface (S9) ( <b>LRR R, MLRA 149B</b> )	<input type="checkbox"/> Coast Prairie Redox (A16) ( <b>LRR K, L, R</b> )	
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> High Chroma Sands (S11) ( <b>LRR K, L</b> )	<input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) ( <b>LRR K, L, R</b> )	
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>LRR K, L</b> )	<input type="checkbox"/> Polyvalue Below Surface (S8) ( <b>LRR K, L</b> )	
<input type="checkbox"/> Stratified Layers (A5)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Thin Dark Surface (S9) ( <b>LRR K, L</b> )	
<input checked="" type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Iron-Manganese Masses (F12) ( <b>LRR K, L, R</b> )	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Piedmont Floodplain Soils (F19) ( <b>MLRA 149B</b> )	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	<input type="checkbox"/> Mesic Spodic (TA6) ( <b>MLRA 144A, 145, 149B</b> )	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	<input type="checkbox"/> Red Parent Material (F21)	
<input checked="" type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Marl (F10) ( <b>LRR K, L</b> )	<input type="checkbox"/> Very Shallow Dark Surface (F22)	
<input type="checkbox"/> Stripped Matrix (S6)		<input type="checkbox"/> Other (Explain in Remarks)	
<input checked="" type="checkbox"/> Dark Surface (S7)			

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b> Type: _____ Depth (inches): _____	<b>Hydric Soil Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:  
This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))



**VEGETATION** – Use scientific names of plants.

Sampling Point: dp13

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Panicum dichotomiflorum</u>	<u>20</u>	<u>Yes</u>	<u>FACW</u>
2. <u>Danthonia spicata</u>	<u>20</u>	<u>Yes</u>	<u>UPL</u>
3. <u>Hypericum perforatum</u>	<u>5</u>	<u>No</u>	<u>UPL</u>
4. <u>Verbena hastata</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
5. <u>Agrostis alba</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
6. <u>Verbascum thapsus</u>	<u>2</u>	<u>No</u>	<u>UPL</u>
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
<u>57</u> =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>30</u>	x 2 = <u>60</u>
FAC species <u>0</u>	x 3 = <u>0</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>27</u>	x 5 = <u>135</u>
Column Totals: <u>57</u> (A)	<u>195</u> (B)
Prevalence Index = B/A = <u>3.42</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
- Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes         No   X  

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp13

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-2	10YR 2/2	100					Sandy	
2-4	10YR 5/2	100					Sandy	
4-24	10YR 5/3	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No X

**Remarks:**

This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

# WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp14  
Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): footslope Local relief (concave, convex, none): concave Slope %: 1-3  
Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9617638 Long: -84.3338307 Datum: WGS 84  
Soil Map Unit Name: Selfridge loamy sand, 0 to 3 percent slopes NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

## SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>    </u>
Hydic Soil Present? Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	

Remarks: (Explain alternative procedures here or in a separate report.)

## HYDROLOGY

<b>Wetland Hydrology Indicators:</b>		<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>		
<u>    </u> Surface Water (A1)	<u>    </u> Water-Stained Leaves (B9)	<u>    </u> Surface Soil Cracks (B6)
<u>X</u> High Water Table (A2)	<u>    </u> Aquatic Fauna (B13)	<u>    </u> Drainage Patterns (B10)
<u>X</u> Saturation (A3)	<u>    </u> Marl Deposits (B15)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Hydrogen Sulfide Odor (C1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Presence of Reduced Iron (C4)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Thin Muck Surface (C7)	<u>X</u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Other (Explain in Remarks)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)		<u>X</u> Microtopographic Relief (D4)
		<u>X</u> FAC-Neutral Test (D5)

<b>Field Observations:</b>	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Water Table Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>8</u>	
Saturation Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>6</u>	
(includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp14

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>Cornus alba</u>	<u>20</u>	<u>Yes</u>	<u>FACW</u>
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Juncus effusus</u>	<u>50</u>	<u>Yes</u>	<u>OBL</u>
2. <u>Carex retrorsa</u>	<u>30</u>	<u>Yes</u>	<u>OBL</u>
3. <u>Solidago gigantea</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
4. <u>Cornus alba</u>	<u>2</u>	<u>No</u>	<u>FACW</u>
5. _____			
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>80</u>	x 1 = <u>80</u>
FACW species <u>27</u>	x 2 = <u>54</u>
FAC species <u>0</u>	x 3 = <u>0</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>107</u> (A)	<u>134</u> (B)
Prevalence Index = B/A = <u>1.25</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp14

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-24	10YR 2/1	97	10YR 3/6	3	C	M	Loamy/Clayey	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))



## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp15  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E  
 Landform (hillside, terrace, etc.): backslope Local relief (concave, convex, none): none Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9611416 Long: -84.3341974 Datum: WGS 84  
 Soil Map Unit Name: Pinconning loamy sand NWI classification: none  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u> Hydric Soil Present? Yes <u>    </u> No <u>X</u> Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>    </u>
---	---

Remarks: (Explain alternative procedures here or in a separate report.)

### HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
--	---

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 No wetland hydrology observed (other than passing of the FAC-Neutral Test) at this data point location.

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp15

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			

<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			

<u>Herb Stratum</u> (Plot size: <u>5'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>Dichanthelium implicatum</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>
2. <u>Verbena hastata</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
3. <u>Phalaris arundinacea</u>	<u>2</u>	<u>No</u>	<u>FACW</u>
4. _____			
5. _____			
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			

<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>7</u>	x 2 = <u>14</u>
FAC species <u>60</u>	x 3 = <u>180</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>67</u> (A)	<u>194</u> (B)
Prevalence Index = B/A = <u>2.90</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp15

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2	100					Sandy	
5-8	10YR 5/1	90	10YR 5/4	10	C	M	Loamy/Clayey	Distinct redox concentrations
8-24	10YR 3/2	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))  
 The soil in this area appears to have been recently graded in the last 1-2 years.



**VEGETATION** – Use scientific names of plants.

Sampling Point: dp16

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Juncus effusus</u>	<u>25</u>	<u>Yes</u>	<u>OBL</u>
2. <u>Scirpus cyperinus</u>	<u>25</u>	<u>Yes</u>	<u>OBL</u>
3. <u>Verbena hastata</u>	<u>10</u>	<u>No</u>	<u>FACW</u>
4. <u>Phalaris arundinacea</u>	<u>2</u>	<u>No</u>	<u>FACW</u>
5. <u>Typha angustifolia</u>	<u>2</u>	<u>No</u>	<u>OBL</u>
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>52</u>	x 1 = <u>52</u>
FACW species <u>12</u>	x 2 = <u>24</u>
FAC species <u>0</u>	x 3 = <u>0</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>64</u> (A)	<u>76</u> (B)
Prevalence Index = B/A = <u>1.19</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - X 2 - Dominance Test is >50%
  - X 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes X      No   

Remarks: (Include photo numbers here or on a separate sheet.)











**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp18  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): shoulder Local relief (concave, convex, none): convex Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9603396 Long: -84.3341294 Datum: WGS 84  
 Soil Map Unit Name: Selfridge loamy sand, 0 to 3 percent slopes NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>    </u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

**Field Observations:**

Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	

(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 No evidence of wetland hydrology at this data point location.

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp18

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>Rhamnus cathartica</u>	<u>3</u>	<u>Yes</u>	<u>FAC</u>
2. <u>Populus grandidentata</u>	<u>3</u>	<u>Yes</u>	<u>FACU</u>
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Carex pensylvanica</u>	<u>20</u>	<u>Yes</u>	<u>UPL</u>
2. <u>Carex gracillima</u>	<u>15</u>	<u>Yes</u>	<u>FACU</u>
3. <u>Pteridium aquilinum</u>	<u>5</u>	<u>No</u>	<u>FACU</u>
4. _____			
5. _____			
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>0</u>	x 2 = <u>0</u>
FAC species <u>3</u>	x 3 = <u>9</u>
FACU species <u>23</u>	x 4 = <u>92</u>
UPL species <u>20</u>	x 5 = <u>100</u>
Column Totals: <u>46</u> (A)	<u>201</u> (B)
Prevalence Index = B/A = <u>4.37</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes         No   X  

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp18

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	10YR 3/2	100					Loamy/Clayey	
8-24	10YR 5/3	100					Loamy/Clayey	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No X

**Remarks:**

This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp19  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): backslope Local relief (concave, convex, none): convex Slope %: 2-4  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9617287 Long: -84.3348094 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>    </u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b>	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
(includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
No evidence of wetland hydrology at this data point location.

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp19

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Carex gracillima</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>
2. <u>Pteridium aquilinum</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>
3. <u>Solidago canadensis</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>
4. <u>Dactylis glomerata</u>	<u>10</u>	<u>No</u>	<u>FACU</u>
5. <u>Rubus pubescens</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
6. <u>Cornus alba</u>	<u>2</u>	<u>No</u>	<u>FACW</u>
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
<u>77</u> =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>7</u>	x 2 = <u>14</u>
FAC species <u>0</u>	x 3 = <u>0</u>
FACU species <u>70</u>	x 4 = <u>280</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>77</u> (A)	<u>294</u> (B)
Prevalence Index = B/A = <u>3.82</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes         No   X  

Remarks: (Include photo numbers here or on a separate sheet.)



**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp20  
 Investigator(s): R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): toeslope Local relief (concave, convex, none): concave Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9618091 Long: -84.3348318 Datum: WGS 84

Soil Map Unit Name: Pinconning loamy sand NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>                    </u>
Hydic Soil Present? Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

Wetland Hydrology Indicators:	Secondary Indicators (minimum of two required)
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>X</u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>X</u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>X</u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>X</u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>X</u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>11</u> Saturation Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>9</u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**VEGETATION** – Use scientific names of plants.

Sampling Point: dp20

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>Cornus alba</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
_____ =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Calamagrostis canadensis</u>	<u>45</u>	<u>Yes</u>	<u>OBL</u>
2. <u>Juncus effusus</u>	<u>15</u>	<u>No</u>	<u>OBL</u>
3. <u>Solidago gigantea</u>	<u>10</u>	<u>No</u>	<u>FACW</u>
4. <u>Cornus alba</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
5. <u>Onoclea sensibilis</u>	<u>5</u>	<u>No</u>	<u>FACW</u>
6. <u>Rumex crispus</u>	<u>2</u>	<u>No</u>	<u>FAC</u>
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			
_____ =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>			
2. _____			
3. _____			
4. _____			
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>60</u>	x 1 = <u>60</u>
FACW species <u>25</u>	x 2 = <u>50</u>
FAC species <u>2</u>	x 3 = <u>6</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>87</u> (A)	<u>116</u> (B)
Prevalence Index = B/A = <u>1.33</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
- Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp20

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-3	10YR 2/1	100					Sandy	
3-24	10YR 5/2	90	10YR 5/6	10	C	M	Sandy	Prominent redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric Soil Present?**      Yes       No

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp21  
 Investigator(s): K. Leister Section, Township, Range: Sec. 15, T18N R1E  
 Landform (hillside, terrace, etc.): Floodplain Local relief (concave, convex, none): None Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.959189 Long: -84.334025 Datum: WGS 84  
 Soil Map Unit Name: Cohoctah loam NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present? Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>X</u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> ? Dry-Season Water Table (C2)
<u>X</u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>X</u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>X</u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>X</u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>14</u> Saturation Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>8</u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**SOIL**

Sampling Point: dp21

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-3	10YR 5/3	100					Sandy	Appears to be sediment deposit
3-11	10YR 3/1	100	10YR 4/6	5	C	M	Loamy/Clayey	Prominent redox concentrations
11-24	10YR 2/1	100					Loamy/Clayey	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes X No \_\_\_\_\_

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp22  
 Investigator(s): K. Leister Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): Hillside Local relief (concave, convex, none): Convex Slope %: 6-10  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.959141 Long: -84.334229 Datum: WGS 84

Soil Map Unit Name: Cohoctah loam NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>		<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>		
<u>    </u> Surface Water (A1)	<u>    </u> Water-Stained Leaves (B9)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Aquatic Fauna (B13)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Marl Deposits (B15)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Hydrogen Sulfide Odor (C1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Presence of Reduced Iron (C4)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Thin Muck Surface (C7)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Other (Explain in Remarks)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)		<u>    </u> Microtopographic Relief (D4)
		<u>    </u> FAC-Neutral Test (D5)

<b>Field Observations:</b>				<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present?	Yes <u>    </u> No <u>X</u>	Depth (inches): <u>    </u>		
Water Table Present?	Yes <u>    </u> No <u>X</u>	Depth (inches): <u>    </u>		
Saturation Present?	Yes <u>    </u> No <u>X</u>	Depth (inches): <u>    </u>		

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**SOIL**

Sampling Point: dp22

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-11	10YR 2/2	100					Sandy	
11-24	10YR 4/3	100					Loamy/Clayey	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))



**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp23  
 Investigator(s): K. Leister, R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): Hillside Local relief (concave, convex, none): Convex Slope %: 4-8  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9585659 Long: -84.3346099 Datum: WGS 84  
 Soil Map Unit Name: Selfridge loamy sand, 0 to 3 percent slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydic Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>		<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>		
<u>    </u> Surface Water (A1)	<u>    </u> Water-Stained Leaves (B9)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Aquatic Fauna (B13)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Marl Deposits (B15)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Hydrogen Sulfide Odor (C1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Presence of Reduced Iron (C4)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Thin Muck Surface (C7)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Other (Explain in Remarks)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)		<u>    </u> Microtopographic Relief (D4)
		<u>    </u> FAC-Neutral Test (D5)

<b>Field Observations:</b>				<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present?	Yes <u>    </u> No <u>X</u>	Depth (inches):	<u>    </u>	
Water Table Present?	Yes <u>    </u> No <u>X</u>	Depth (inches):	<u>    </u>	
Saturation Present?	Yes <u>    </u> No <u>X</u>	Depth (inches):	<u>    </u>	

(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**SOIL**

Sampling Point: dp23

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	10YR 2/2	100					Sandy	
10-24	10YR 4/3	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp24  
 Investigator(s): K. Leister Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): Level Local relief (concave, convex, none): Convex Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.957692 Long: -84.3349952 Datum: WGS 84

Soil Map Unit Name: Ubly sandy loam, 0 to 2 percent slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>    </u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b>		<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>		
Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>		
Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>		
(includes capillary fringe)		

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**SOIL**

Sampling Point: dp24

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-3	10YR 3/2	100					Sandy	
3-17	10YR 5/4	100					Sandy	
17-24	10YR 5/3	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp25  
 Investigator(s): K. Leister Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): Depression Local relief (concave, convex, none): Concave Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.957645 Long: -84.335013 Datum: WGS 84  
 Soil Map Unit Name: Ubly sandy loam, 0 to 2 percent slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, optional Wetland Site ID: _____
Hydic Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Drainage Patterns (B10)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Moss Trim Lines (B16)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Aquatic Fauna (B13)	<input checked="" type="checkbox"/> Microtopographic Relief (D4)
<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	
<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	
<input type="checkbox"/> Presence of Reduced Iron (C4)	
<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	
<input type="checkbox"/> Thin Muck Surface (C7)	
<input type="checkbox"/> Other (Explain in Remarks)	

<b>Field Observations:</b> Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <u>3</u> Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <u>0</u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp25

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>Populus grandidentata</u>	<u>50</u>	<u>Yes</u>	<u>FACU</u>
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>50</u> =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>Fraxinus pennsylvanica</u>	<u>50</u>	<u>Yes</u>	<u>FACW</u>
2. <u>Quercus rubra</u>	<u>10</u>	<u>No</u>	<u>FACU</u>
3. <u>Amelanchier arborea</u>	<u>5</u>	<u>No</u>	<u>FACU</u>
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>65</u> =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Symphotrichum lateriflorum</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>
2. <u>Toxicodendron radicans</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>
3. <u>Fragaria virginiana</u>	<u>2</u>	<u>No</u>	<u>FACU</u>
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
<u>17</u> =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>Vitis riparia</u>	<u>30</u>	<u>Yes</u>	<u>FAC</u>
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
<u>30</u> =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>50</u>	x 2 = <u>100</u>
FAC species <u>45</u>	x 3 = <u>135</u>
FACU species <u>67</u>	x 4 = <u>268</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>162</u> (A)	<u>503</u> (B)
Prevalence Index = B/A = <u>3.10</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - X 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes X      No   

Remarks: (Include photo numbers here or on a separate sheet.)



**SOIL**

Sampling Point: dp25

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	10YR 3/1	100					Sandy	
8-24	10YR 5/4	60	7.5YR 4/6	10	C	M	Sandy	Distinct redox concentrations
	10YR 3/2	30						

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

<b>Hydric Soil Indicators:</b>		<b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b>	
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Polyvalue Below Surface (S8) (LRR R, MLRA 149B)	<input type="checkbox"/> 2 cm Muck (A10) (LRR K, L, MLRA 149B)	
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Thin Dark Surface (S9) (LRR R, MLRA 149B)	<input type="checkbox"/> Coast Prairie Redox (A16) (LRR K, L, R)	
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> High Chroma Sands (S11) (LRR K, L)	<input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)	
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (LRR K, L)	<input type="checkbox"/> Polyvalue Below Surface (S8) (LRR K, L)	
<input type="checkbox"/> Stratified Layers (A5)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Thin Dark Surface (S9) (LRR K, L)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Iron-Manganese Masses (F12) (LRR K, L, R)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Piedmont Floodplain Soils (F19) (MLRA 149B)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	<input type="checkbox"/> Mesic Spodic (TA6) (MLRA 144A, 145, 149B)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	<input type="checkbox"/> Red Parent Material (F21)	
<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Marl (F10) (LRR K, L)	<input type="checkbox"/> Very Shallow Dark Surface (F22)	
<input type="checkbox"/> Stripped Matrix (S6)		<input type="checkbox"/> Other (Explain in Remarks)	
<input checked="" type="checkbox"/> Dark Surface (S7)			

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Type: _____ Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp26  
 Investigator(s): K. Leister, R. Roos Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9581886 Long: -84.3367208 Datum: WGS 84

Soil Map Unit Name: Ubly sandy loam, 0 to 2 percent slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> <u>X</u> Microtopographic Relief (D4)
	<u>    </u> FAC-Neutral Test (D5)

<b>Field Observations:</b>	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u>	
Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp26

<u>Tree Stratum</u> (Plot size: <u>30'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Populus grandidentata</u>	<u>60</u>	<u>Yes</u>	<u>FACU</u>
2.	<u>Fraxinus pennsylvanica</u>	<u>10</u>	<u>No</u>	<u>FACW</u>
3.	<u>Quercus rubra</u>	<u>10</u>	<u>No</u>	<u>FACU</u>
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		<u>80</u> =Total Cover		
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )				
1.	<u>Fraxinus pennsylvanica</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>
2.	<u>Cornus florida</u>	<u>2</u>	<u>No</u>	<u>FACU</u>
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		<u>12</u> =Total Cover		
<u>Herb Stratum</u> (Plot size: <u>5'</u> )				
1.	<u>Carex blanda</u>	<u>40</u>	<u>Yes</u>	<u>FAC</u>
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
8.	_____	_____	_____	_____
9.	_____	_____	_____	_____
10.	_____	_____	_____	_____
11.	_____	_____	_____	_____
12.	_____	_____	_____	_____
		<u>40</u> =Total Cover		
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )				
1.	<u>Vitis riparia</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
		<u>10</u> =Total Cover		

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>20</u>	x 2 = <u>40</u>
FAC species <u>50</u>	x 3 = <u>150</u>
FACU species <u>72</u>	x 4 = <u>288</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>142</u> (A)	<u>478</u> (B)
Prevalence Index = B/A = <u>3.37</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - X 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes X      No   

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp26

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2						Loamy/Clayey	
5-24	10YR 5/3	98	10YR 5/4	2	C	M	Loamy/Clayey	Faint redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

<b>Hydric Soil Indicators:</b>		<b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b>	
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Polyvalue Below Surface (S8) (LRR R, MLRA 149B)	<input type="checkbox"/> 2 cm Muck (A10) (LRR K, L, MLRA 149B)	
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Thin Dark Surface (S9) (LRR R, MLRA 149B)	<input type="checkbox"/> Coast Prairie Redox (A16) (LRR K, L, R)	
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> High Chroma Sands (S11) (LRR K, L)	<input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)	
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (LRR K, L)	<input type="checkbox"/> Polyvalue Below Surface (S8) (LRR K, L)	
<input type="checkbox"/> Stratified Layers (A5)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Thin Dark Surface (S9) (LRR K, L)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Iron-Manganese Masses (F12) (LRR K, L, R)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Piedmont Floodplain Soils (F19) (MLRA 149B)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	<input type="checkbox"/> Mesic Spodic (TA6) (MLRA 144A, 145, 149B)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	<input type="checkbox"/> Red Parent Material (F21)	
<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Marl (F10) (LRR K, L)	<input type="checkbox"/> Very Shallow Dark Surface (F22)	
<input type="checkbox"/> Stripped Matrix (S6)		<input type="checkbox"/> Other (Explain in Remarks)	
<input type="checkbox"/> Dark Surface (S7)			

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type: _____ Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))



**VEGETATION** – Use scientific names of plants.

Sampling Point: dp27

<u>Tree Stratum</u> (Plot size: <u>30'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Populus tremuloides</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		<u>60</u>	<u>=Total Cover</u>	
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Fraxinus pennsylvanica</u>	<u>40</u>	<u>Yes</u>	<u>FACW</u>
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		<u>40</u>	<u>=Total Cover</u>	
<u>Herb Stratum</u> (Plot size: <u>5'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>Carex vulpinoidea</u>	<u>20</u>	<u>Yes</u>	<u>OBL</u>
2.	<u>Scirpus atrovirens</u>	<u>10</u>	<u>Yes</u>	<u>OBL</u>
3.	<u>Prunella vulgaris</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>
4.	<u>Symphotrichum lateriflorum</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>
5.	<u>Elymus virginicus</u>	<u>8</u>	<u>No</u>	<u>FACW</u>
6.	<u>Leonurus cardiaca</u>	<u>2</u>	<u>No</u>	<u>UPL</u>
7.	_____	_____	_____	_____
8.	_____	_____	_____	_____
9.	_____	_____	_____	_____
10.	_____	_____	_____	_____
11.	_____	_____	_____	_____
12.	_____	_____	_____	_____
		<u>60</u>	<u>=Total Cover</u>	
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )		Absolute % Cover	Dominant Species?	Indicator Status
1.	<u>None</u>	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
		_____	<u>=Total Cover</u>	

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>30</u>	x 1 = <u>30</u>
FACW species <u>48</u>	x 2 = <u>96</u>
FAC species <u>80</u>	x 3 = <u>240</u>
FACU species <u>0</u>	x 4 = <u>0</u>
UPL species <u>2</u>	x 5 = <u>10</u>
Column Totals: <u>160</u> (A)	<u>376</u> (B)
Prevalence Index = B/A = <u>2.35</u>	

- Hydrophytic Vegetation Indicators:**
- 1 - Rapid Test for Hydrophytic Vegetation
  - 2 - Dominance Test is >50%
  - 3 - Prevalence Index is ≤3.0<sup>1</sup>
  - 4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
  - Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)
- <sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp27

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2	90	7.5YR 4/6	10	C	M	Loamy/Clayey	Prominent redox concentrations
5-24	10YR 4/4	60	10YR 4/6	5	C	M	Loamy/Clayey	Distinct redox concentrations
	10YR 2/2	35						

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, **MLRA 149B**)
- Thin Dark Surface (S9) (LRR R, **MLRA 149B**)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, **MLRA 149B**)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes X No \_\_\_\_\_

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp28  
 Investigator(s): K. Leister Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): Footslope Local relief (concave, convex, none): None Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9577312 Long: -84.3370946 Datum: WGS 84

Soil Map Unit Name: Ubly sandy loam, 0 to 2 percent slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>    </u>
Hydric Soil Present? Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

Wetland Hydrology Indicators:	Secondary Indicators (minimum of two required)
<u>    </u> Surface Water (A1)	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> High Water Table (A2)	<u>    </u> Drainage Patterns (B10)
<u>    </u> Saturation (A3)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Water Marks (B1)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Drift Deposits (B3)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Iron Deposits (B5)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Water-Stained Leaves (B9)	<u>    </u> FAC-Neutral Test (D5)
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**VEGETATION** – Use scientific names of plants.

Sampling Point: dp28

<u>Tree Stratum</u> (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>Populus tremuloides</u>	<u>15</u>	<u>Yes</u>	<u>FAC</u>
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>15</u> =Total Cover			
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15'</u> )			
1. <u>Fraxinus pennsylvanica</u>	<u>40</u>	<u>Yes</u>	<u>FACW</u>
2. <u>Elaeagnus umbellata</u>	<u>20</u>	<u>Yes</u>	<u>UPL</u>
3. <u>Rubus allegheniensis</u>	<u>10</u>	<u>No</u>	<u>FACU</u>
4. <u>Picea glauca</u>	<u>2</u>	<u>No</u>	<u>FACU</u>
5. <u>Crataegus monogyna</u>	<u>2</u>	<u>No</u>	<u>FACU</u>
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>74</u> =Total Cover			
<u>Herb Stratum</u> (Plot size: <u>5'</u> )			
1. <u>Toxicodendron radicans</u>	<u>25</u>	<u>Yes</u>	<u>FAC</u>
2. <u>Fragaria virginiana</u>	<u>15</u>	<u>Yes</u>	<u>FACU</u>
3. <u>Poa pratensis</u>	<u>10</u>	<u>No</u>	<u>FACU</u>
4. <u>Carex blanda</u>	<u>5</u>	<u>No</u>	<u>FAC</u>
5. <u>Geum canadense</u>	<u>2</u>	<u>No</u>	<u>FAC</u>
6. <u>Potentilla norvegica</u>	<u>2</u>	<u>No</u>	<u>FAC</u>
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
<u>59</u> =Total Cover			
<u>Woody Vine Stratum</u> (Plot size: <u>30'</u> )			
1. <u>None</u>	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 60.0% (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>40</u>	x 2 = <u>80</u>
FAC species <u>49</u>	x 3 = <u>147</u>
FACU species <u>39</u>	x 4 = <u>156</u>
UPL species <u>20</u>	x 5 = <u>100</u>
Column Totals: <u>148</u> (A)	<u>483</u> (B)
Prevalence Index = B/A = <u>3.26</u>	

**Hydrophytic Vegetation Indicators:**

   1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

   3 - Prevalence Index is ≤3.0<sup>1</sup>

   4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

   Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

**Hydrophytic Vegetation Present?**      Yes X      No   

Remarks: (Include photo numbers here or on a separate sheet.)

**SOIL**

Sampling Point: dp28

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/3	100					Sandy	
5-18	10YR 5/6	100					Sandy	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<b>Restrictive Layer (if observed):</b>	<b>Hydric Soil Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Type: _____	
Depth (inches): _____	

Remarks:  
 This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp29  
 Investigator(s): K. Leister Section, Township, Range: Sec. 15, T18N R1E

Landform (hillside, terrace, etc.): Shoulder Local relief (concave, convex, none): Convex Slope %: 1-3  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9580876 Long: -84.3379692 Datum: WGS 84  
 Soil Map Unit Name: Covert sand, 0 to 3 percent slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>    </u> No <u>X</u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>    </u> No <u>X</u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present? Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	<u>    </u> Surface Soil Cracks (B6)
<u>    </u> Surface Water (A1)	<u>    </u> Drainage Patterns (B10)
<u>    </u> High Water Table (A2)	<u>    </u> Moss Trim Lines (B16)
<u>    </u> Saturation (A3)	<u>    </u> Dry-Season Water Table (C2)
<u>    </u> Water Marks (B1)	<u>    </u> Crayfish Burrows (C8)
<u>    </u> Sediment Deposits (B2)	<u>    </u> Saturation Visible on Aerial Imagery (C9)
<u>    </u> Drift Deposits (B3)	<u>    </u> Stunted or Stressed Plants (D1)
<u>    </u> Algal Mat or Crust (B4)	<u>    </u> Geomorphic Position (D2)
<u>    </u> Iron Deposits (B5)	<u>    </u> Shallow Aquitard (D3)
<u>    </u> Inundation Visible on Aerial Imagery (B7)	<u>    </u> Microtopographic Relief (D4)
<u>    </u> Sparsely Vegetated Concave Surface (B8)	<u>    </u> FAC-Neutral Test (D5)
<u>    </u> Water-Stained Leaves (B9)	
<u>    </u> Aquatic Fauna (B13)	
<u>    </u> Marl Deposits (B15)	
<u>    </u> Hydrogen Sulfide Odor (C1)	
<u>    </u> Oxidized Rhizospheres on Living Roots (C3)	
<u>    </u> Presence of Reduced Iron (C4)	
<u>    </u> Recent Iron Reduction in Tilled Soils (C6)	
<u>    </u> Thin Muck Surface (C7)	
<u>    </u> Other (Explain in Remarks)	

<b>Field Observations:</b> Surface Water Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Water Table Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> Saturation Present? Yes <u>    </u> No <u>X</u> Depth (inches): <u>    </u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>    </u> No <u>X</u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**SOIL**

Sampling Point: dp29

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-14	10YR 2/2	100					Sandy	
14-24	10YR 5/3	95	10YR 5/6	5	C	M	Loamy/Clayey	Distinct redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric Soil Present?**      Yes \_\_\_\_\_ No X

**Remarks:**

This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))

**WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region**

Project/Site: Smallwood Dam City/County: Gladwin Sampling Date: 12 Mar 2021  
 Applicant/Owner: Four Lakes Task Force State: MI Sampling Point: dp30  
 Investigator(s): K. Leister, R. Roos Section, Township, Range: Sec. 15, T18N R1E  
 Landform (hillside, terrace, etc.): Depression Local relief (concave, convex, none): Concave Slope %: 0-2  
 Subregion (LRR or MLRA): LRR L, MLRA 98 Lat: 43.9581081 Long: -84.338104 Datum: WGS 84  
 Soil Map Unit Name: Covert sand, 0 to 3 percent slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation     , Soil     , or Hydrology      significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation     , Soil     , or Hydrology      naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	<b>Is the Sampled Area within a Wetland?</b> Yes <u>X</u> No <u>    </u> If yes, optional Wetland Site ID: <u>                    </u>
Hydric Soil Present? Yes <u>X</u> No <u>    </u>	
Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	

Remarks: (Explain alternative procedures here or in a separate report.)

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b>	<u>Secondary Indicators (minimum of two required)</u>
<u>Primary Indicators (minimum of one is required; check all that apply)</u>	
<input checked="" type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Moss Trim Lines (B16)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Iron Deposits (B5)	<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Microtopographic Relief (D4)
<input type="checkbox"/> Water-Stained Leaves (B9)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Aquatic Fauna (B13)	
<input type="checkbox"/> Marl Deposits (B15)	
<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	
<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	
<input type="checkbox"/> Presence of Reduced Iron (C4)	
<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	
<input type="checkbox"/> Thin Muck Surface (C7)	
<input type="checkbox"/> Other (Explain in Remarks)	

<b>Field Observations:</b> Surface Water Present? Yes <u>X</u> No <u>    </u> Depth (inches): <u>2</u> Water Table Present? Yes <u>    </u> No <u>    </u> Depth (inches): <u>    </u> Saturation Present? Yes <u>    </u> No <u>    </u> Depth (inches): <u>    </u> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <u>X</u> No <u>    </u>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**VEGETATION** – Use scientific names of plants.

Sampling Point: dp30

Tree Stratum (Plot size: <u>30'</u> )	Absolute % Cover	Dominant Species?	Indicator Status
1. <u>Populus grandidentata</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>20</u> =Total Cover			
Sapling/Shrub Stratum (Plot size: <u>15'</u> )			
1. <u>Fraxinus pennsylvanica</u>	<u>20</u>	<u>Yes</u>	<u>FACW</u>
2. <u>Fraxinus nigra</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
<u>30</u> =Total Cover			
Herb Stratum (Plot size: <u>5'</u> )			
1. <u>Onoclea sensibilis</u>	<u>15</u>	<u>Yes</u>	<u>FACW</u>
2. <u>Carex sp.*</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>
3. <u>Fragaria virginiana</u>	<u>2</u>	<u>No</u>	<u>FACU</u>
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
<u>27</u> =Total Cover			
Woody Vine Stratum (Plot size: <u>30'</u> )			
1. <u>None</u>	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
_____ =Total Cover			

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80.0% (A/B)

---

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>45</u>	x 2 = <u>90</u>
FAC species <u>10</u>	x 3 = <u>30</u>
FACU species <u>22</u>	x 4 = <u>88</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>77</u> (A)	<u>208</u> (B)
Prevalence Index = B/A = <u>2.70</u>	

---

**Hydrophytic Vegetation Indicators:**

    1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0<sup>1</sup>

    4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

    Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

---

**Definitions of Vegetation Strata:**

**Tree** – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/shrub** – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

**Herb** – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

**Woody vines** – All woody vines greater than 3.28 ft in height.

---

**Hydrophytic Vegetation Present?**      Yes X      No    

Remarks: (Include photo numbers here or on a separate sheet.)  
 \* Wetland indicator status assumed to be FAC.

**SOIL**

Sampling Point: dp30

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	10YR 2/1	100					Mucky Loam/Clay	
8-24	10YR 5/2	90	10YR 5/6	10	C	M	Loamy/Clayey	Prominent redox concentrations

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- High Chroma Sands (S11) (LRR K, L)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (LRR K, L)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**

This data form is revised from Northcentral and Northeast Regional Supplement Version 2.0 to include the NRCS Field Indicators of Hydric Soils, Version 7.0, 2015 Errata. ([http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_051293.docx](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_051293.docx))