

Four Lakes Task Force  
Operations and Maintenance Assessment Roll  
Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

S.No	Parcel ID	Factor Change	Reason for Change	Original Apportionment (from 6/17 roll)	Revised Apportionment
1	010-001-200-040-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels	0.00000%	0.000000%
2	010-001-200-051-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels	0.00000%	0.000000%
3	010-001-200-100-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.00000%	0.000000%
4	010-002-100-020-00	Water Depth	Parcel is located downstream of Edenville Dam on the Tobacco River	0.01973%	0.018023%
5	010-002-100-060-00	Water Depth	Parcel is located downstream of Edenville Dam on the Tobacco River	0.01582%	0.014451%
6	010-002-100-070-00	Water Depth	Parcel is located downstream of Edenville Dam on the Tobacco River	0.01548%	0.014143%
7	010-002-100-080-00	Water Depth & Frontage	Parcel is located downstream of Edenville Dam on the Tobacco River. Water depth is below 2 feet based on LiDAR. Parcel was adjusted as well as usable frontage	0.01755%	0.016031%
8	010-002-400-510-00	Base & PID	Parcel was recently split from large agricultural property north of Curtis Road. Property does not have access to lake therefore the base factor was changed to 0. Split became active earlier this year	#N/A	0.000000%
9	010-011-100-051-00	Frontage	Frontage factor decreased to better match aerial photo	0.01897%	0.018606%
10	010-011-100-052-00	Base	Parcel is for a road end ROW used for storm water outlet easement. Base factor was changed to 0	0.00000%	0.000000%
11	010-014-300-129-00	Frontage	Adjusted frontage factor to 1.32	0.01654%	0.022521%
12	010-023-100-490-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
13	010-023-100-495-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
14	010-023-300-032-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
15	010-023-300-039-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
16	010-023-300-041-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
17	010-023-300-042-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
18	010-023-300-043-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
19	010-023-300-051-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
20	010-023-300-055-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
21	010-023-300-057-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
22	010-023-300-155-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
23	010-023-300-157-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
24	010-023-300-160-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
25	010-023-400-000-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
26	010-023-400-004-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
27	010-023-400-012-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
28	010-023-400-015-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
29	010-023-400-375-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
30	010-023-400-403-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
31	010-023-400-410-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
32	010-023-400-425-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
33	010-023-400-460-00	Access Factor	Access reviewed to be lower quality based on frontage, depth and waterview. Adjusted access factor from 0.72 to 0.5	0.00598%	0.004265%
34	010-035-100-005-00	Frontage	Frontage amount reduced. Parcel was allocate description and was re-measured in GIS	0.03987%	0.040009%
35	010-450-500-010-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01079%	0.009855%
36	010-450-500-030-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01079%	0.009855%
37	010-450-500-050-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01079%	0.009855%
38	010-450-500-070-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01255%	0.011461%
39	010-450-500-101-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01372%	0.012536%
40	010-450-500-145-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01060%	0.009687%
41	010-450-500-161-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01313%	0.011995%
42	010-640-500-330-00	Base	Combo. Zero base for this parcel and assessed the other parcel 010-6450-500-341-00	0.02798%	0.000000%
43	010-640-500-341-00	Derived and Frontage	Combo. Updated frontage factor to 0.924 and derived benefit was updated to 1 by accounting for the combined frontage from the parcel 010-640-500-330-00	0.02830%	0.015765%
44	010-734-500-610-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.00000%	0.000000%
45	010-734-500-621-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01421%	0.012976%
46	010-734-500-640-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01259%	0.011501%
47	010-734-500-650-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01259%	0.011501%
48	010-734-500-660-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01259%	0.011501%





Four Lakes Task Force  
Operations and Maintenance Assessment Roll  
Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

139	030-070-000-095-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
140	030-070-000-096-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
141	030-070-000-097-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
142	030-070-000-098-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
143	030-070-000-099-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
144	030-070-000-100-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
145	030-070-000-101-10	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
146	030-070-000-103-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
147	030-070-000-104-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
148	030-070-000-105-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
149	030-070-000-106-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
150	030-070-000-107-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
151	030-070-000-108-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
152	030-070-000-109-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
153	030-070-000-110-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
154	030-070-000-111-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
155	030-070-000-111-01	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
156	030-070-000-113-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
157	030-070-000-114-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
158	030-070-000-115-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
159	030-070-000-116-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
160	030-070-000-117-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
161	030-070-000-118-10	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
162	030-070-000-120-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
163	030-070-000-121-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
164	030-070-000-122-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00415%	0.000000%
165	030-070-000-123-00	Base	Back lots within Apple Blossom Sub removed as access areas have been encroached on and lot owner plat was converted to membership	0.00623%	0.000000%
166	030-070-000-136-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01255%	0.011465%
167	030-070-000-137-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01255%	0.011465%
168	030-070-000-138-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01255%	0.011465%
169	030-070-000-139-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01255%	0.011465%
170	030-070-000-140-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01267%	0.011569%
171	030-070-000-141-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01378%	0.012584%
172	030-070-000-142-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01267%	0.011569%
173	030-070-000-143-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01267%	0.011569%
174	030-070-000-144-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01356%	0.012389%
175	030-070-000-146-00	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.01370%	0.012510%
176	030-070-000-148-01	Water Depth	Landowner provided documentation and testimony on water depth in area. Neighboring parcels were included in the evaluation and addressed as needed	0.00000%	0.012326%
177	030-130-000-076-10	Base	Changed from backlot to frontlot with frontage factor of .863	0.00830%	0.008548%
178	040-029-200-008-05	Frontage	Frontage Factor increased to account for upcoming combination of adjacent parcels 014-00, 001-06 & 008-10	0.02264%	0.024313%
179	040-029-200-008-10	Base	Base factor adjusted to account for upcoming combination approved by township assessor	0.00000%	0.000000%
180	040-029-300-001-06	Base	Base factor adjusted to account for upcoming combination approved by township assessor	0.02242%	0.000000%
181	040-110-000-002-00	Base	Parcel is in process of being combine and parcel is tied to other parcel based on septic field and utilities. Frontage from this parcel was applied to the adjacent parcel and this parcel was changed to a 0 base factor	0.01077%	0.000000%
182	040-110-000-003-00	Frontage	Parcel frontage was increased to account for frontage of adjacent parcel which is tied to parcel from utilities (002-00)	0.01006%	0.011465%
183	040-110-000-012-00	Frontage	Frontage factor reduced based on useable frontage and analysis of aerial photos with landowner	0.01729%	0.009008%

Four Lakes Task Force  
Operations and Maintenance Assessment Roll  
Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

184	040-110-000-014-00	Base	Base factor adjusted to account for upcoming combination approved by township assessor	0.00000%	0.000000%
185	070-035-400-019-00	Base	Parcel boundary is not correct in GIS system. Landowner provided survey document illustrating neighbor parcels. Parcel was set to 0 base factor	0.01384%	0.000000%
186	070-060-000-006-00	Base	Parcel is awaiting combination with 006-01. Base factor was changed to 0 to account for upcoming combo	0.01266%	0.000000%
187	070-060-000-006-01	Frontage	Parcel is awaiting combination with 006-00. Frontage was increased to include frontage of 006-00	0.01146%	0.013948%
188	070-111-000-037-10	Base	Property does not have access. Canal does not extend to property based on LiDAR elevation data. Subdivision does not have dedicated access	0.00797%	0.000000%
189	070-112-000-082-00	Frontage	Parcel is to be combined with 083-00. Frontage from 083-00 was added to 082-00 parcel in anticipation of combo. Landowner produced FLTF combo letter from assessor	0.01074%	0.012028%
190	070-112-000-083-00	Base	Parcel is to be combined with 082-00. Letter from assessor was presented and parcel was changed to have 0 base factor	0.01074%	0.000000%
191	070-120-000-021-00	Water Depth	Water depth reduced based on LiDAR. Parcel is at upper end of channel and has less than 2' of depth when lakes return	0.01090%	0.008961%
192	070-160-000-002-00	Frontage	Frontage amount increased to account for neighboring parcel which was changed to have a 0 base benefit	0.01189%	0.013458%
193	070-160-000-003-00	Base	Parcel cannot be combined due to easements for subdivision dividing property. Property has septic field and utilities and is tied to other parcel. Base benefit reduced to zero and frontage added to adjacent parcel	0.01226%	0.000000%
194	080-001-200-240-00	Frontage	Frontage factor adjusted to 1.18	0.01508%	0.012716%
195	080-011-400-060-00	Removal	Parcel was split into three parcels, Parent parcel is retired and was removed from assessment roll	0.01460%	#N/A
196	080-011-400-061-00	Spilt - new parcel	Parent parcel split	#N/A	0.009182%
197	080-011-400-062-00	Spilt - new parcel	Parent parcel split	#N/A	0.009264%
198	080-011-400-063-00	Spilt - new parcel	Parent parcel split	#N/A	0.013124%
199	080-012-400-040-00	Water View	Parcel is like a flag staff parcel with a narrow strip used for access. The view is limited and to be consistent with other parcels throughout the system the water view was reduced to the lowest factor	0.01328%	0.010237%
200	080-013-400-176-00	Frontage	Frontage amount was reduced. Parcel was drafted incorrect. Landowner provided evidence and was satisfied with new amount	0.01361%	0.009418%
201	080-570-500-432-00	Base	Per the legal description and tax records parcel is assessed with neighboring parcel (126-00). To be consistent with County Records backlot parcel was set to have a 0 base factor	0.00664%	0.000000%
202	080-570-500-471-00	Base	Per the legal description and tax records parcel is assessed with neighboring parcel (126-00). To be consistent with County Records backlot parcel was set to have a 0 base factor	0.00664%	0.000000%
203	110-004-302-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.02197%	0.019187%
204	110-004-303-011-04	Water View	Landowner comment resulted in review of water view along entire system	0.02036%	0.017788%
205	110-009-100-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.02405%	0.021009%
206	110-009-200-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.05078%	0.044353%
207	110-009-200-019-00	Water View	Landowner comment resulted in review of water view along entire system	0.04099%	0.035803%
208	110-009-300-001-01	Water View	Landowner comment resulted in review of water view along entire system	0.03494%	0.030523%
209	110-009-300-002-01	Frontage	Frontage amount decreased to account for shallow water depth. Change was based on LiDAR	0.01437%	0.013584%
210	110-009-303-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
211	110-009-303-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01063%	0.000000%
212	110-009-304-001-21	Water View	Landowner comment resulted in review of water view along entire system	0.03064%	0.026765%
213	110-009-400-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
214	110-009-400-002-01	Water View	Landowner comment resulted in review of water view along entire system	0.02414%	0.021088%
215	110-009-400-002-02	Water View	Landowner comment resulted in review of water view along entire system	0.01508%	0.013173%
216	110-009-400-002-03	Water View	Landowner comment resulted in review of water view along entire system	0.01787%	0.015609%
217	110-009-400-020-00	Water View	Landowner comment resulted in review of water view along entire system	0.02269%	0.019821%
218	110-009-400-021-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
219	110-009-400-022-10	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
220	110-009-400-023-01	Water View	Landowner comment resulted in review of water view along entire system	0.01609%	0.014053%
221	110-009-400-023-10	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
222	110-015-200-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01448%	0.012646%
223	110-015-200-010-00	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
224	110-015-200-011-00	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
225	110-015-200-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
226	110-015-200-013-01	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
227	110-015-200-013-02	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
228	110-015-200-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
229	110-015-200-017-00	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
230	110-015-200-019-00	Water View	Landowner comment resulted in review of water view along entire system	0.01620%	0.014544%
231	110-015-200-020-00	Water View	Landowner comment resulted in review of water view along entire system	0.01379%	0.012042%
232	110-015-200-021-10	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
233	110-015-200-022-10	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
234	110-015-200-023-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
235	110-015-200-024-00	Water View	Landowner comment resulted in review of water view along entire system	0.01515%	0.013237%
236	110-015-200-025-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
237	110-015-200-026-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
238	110-015-200-027-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
239	110-015-200-028-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
240	110-015-200-029-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
241	110-015-200-030-00	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
242	110-015-200-031-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
243	110-015-200-032-00	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
244	110-015-200-033-00	Water View	Landowner comment resulted in review of water view along entire system	0.01395%	0.012182%
245	110-015-200-034-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
246	110-015-200-035-00	Water View	Landowner comment resulted in review of water view along entire system	0.01395%	0.012182%
247	110-015-200-036-00	Water View	Landowner comment resulted in review of water view along entire system	0.01395%	0.012182%
248	110-015-200-037-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
249	110-015-200-038-10	Water View	Landowner comment resulted in review of water view along entire system	0.01433%	0.012513%
250	110-015-200-040-10	Water View	Landowner comment resulted in review of water view along entire system	0.01483%	0.012955%
251	110-015-200-041-00	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
252	110-015-200-042-00	Water View	Landowner comment resulted in review of water view along entire system	0.01395%	0.012182%
253	110-015-200-043-00	Water View	Landowner comment resulted in review of water view along entire system	0.01442%	0.012595%
254	110-015-200-044-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%

Four Lakes Task Force  
Operations and Maintenance Assessment Roll  
Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

255	110-015-200-045-00	Water View	Landowner comment resulted in review of water view along entire system	0.01518%	0.013259%
256	110-016-100-009-01	Water View	Landowner comment resulted in review of water view along entire system	0.01469%	0.012834%
257	110-016-100-009-02	Water View	Landowner comment resulted in review of water view along entire system	0.01657%	0.014473%
258	110-016-100-009-03	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
259	110-016-100-009-04	Water View	Landowner comment resulted in review of water view along entire system	0.01474%	0.012874%
260	110-016-100-010-01	Water View	Landowner comment resulted in review of water view along entire system	0.01601%	0.013983%
261	110-016-100-010-02	Water View	Landowner comment resulted in review of water view along entire system	0.01601%	0.013983%
262	110-016-100-010-03	Water View	Landowner comment resulted in review of water view along entire system	0.01601%	0.013983%
263	110-016-100-010-04	Water View	Landowner comment resulted in review of water view along entire system	0.01775%	0.015503%
264	110-016-100-011-00	Water View	Landowner comment resulted in review of water view along entire system	0.01526%	0.013325%
265	110-016-100-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01533%	0.013393%
266	110-016-100-013-00	Water View	Landowner comment resulted in review of water view along entire system	0.01538%	0.013430%
267	110-016-100-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
268	110-016-100-017-01	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
269	110-016-100-017-10	Water View	Landowner comment resulted in review of water view along entire system	0.01486%	0.012978%
270	110-016-100-018-00	Water View	Landowner comment resulted in review of water view along entire system	0.01475%	0.012886%
271	110-016-100-022-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
272	110-016-100-023-00	Water View	Landowner comment resulted in review of water view along entire system	0.02665%	0.023280%
273	110-016-100-024-00	Water View	Landowner comment resulted in review of water view along entire system	0.01499%	0.013096%
274	110-016-100-025-00	Water View	Landowner comment resulted in review of water view along entire system	0.01483%	0.012955%
275	110-016-103-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01689%	0.014756%
276	110-016-103-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
277	110-016-103-003-10	Water View	Landowner comment resulted in review of water view along entire system	0.01654%	0.014451%
278	110-016-104-019-02	Water View	Landowner comment resulted in review of water view along entire system	0.02273%	0.019850%
279	110-016-201-002-13	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
280	110-025-301-004-01	Frontage	Updated frontage factor to 1.512	0.01999%	0.019735%
281	110-025-301-006-00	Frontage	Updated frontage factor to 1.082	0.01399%	0.011076%
282	110-025-301-007-00	Frontage	Adjusted frontage factor to 1.183	0.01390%	0.012110%
283	110-080-000-001-10	Water View	Landowner comment resulted in review of water view along entire system	0.01689%	0.014756%
284	110-080-000-005-10	Water View	Landowner comment resulted in review of water view along entire system	0.01395%	0.012182%
285	110-080-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01395%	0.012182%
286	110-080-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
287	110-080-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
288	110-080-000-010-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
289	110-080-000-011-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
290	110-080-000-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
291	110-080-000-013-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
292	110-080-000-014-10	Water View	Landowner comment resulted in review of water view along entire system	0.01642%	0.014340%
293	110-080-000-015-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
294	110-080-000-018-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
295	110-080-000-020-00	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
296	110-080-000-021-00	Water View	Landowner comment resulted in review of water view along entire system	0.01506%	0.013151%
297	110-080-000-022-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
298	110-080-000-023-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
299	110-080-000-024-10	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
300	110-080-000-029-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
301	110-080-000-031-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
302	110-080-000-032-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
303	110-080-000-035-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
304	110-080-000-036-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
305	110-080-000-037-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
306	110-080-000-038-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
307	110-080-000-039-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
308	110-170-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
309	110-170-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01448%	0.012646%
310	110-170-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01448%	0.012646%
311	110-170-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.02265%	0.019786%
312	110-171-000-025-10	Water View	Landowner comment resulted in review of water view along entire system	0.01436%	0.014756%
313	110-200-000-026-00	Base	Zero base for this parcel and assessed the other parcel 110-200-000-027-00	0.01315%	0.000000%
314	110-200-000-027-00	Frontage	Updated frontage factor to 1.316 by accounting for the zeroed out frontage from the parcel 110-200-000-026-00	0.01327%	0.015207%
315	110-220-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.02683%	0.023436%
316	110-220-000-002-01	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
317	110-220-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
318	110-220-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
319	110-220-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01518%	0.013259%
320	110-220-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
321	110-220-000-010-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
322	110-220-000-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
323	110-220-000-013-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
324	110-220-000-015-00	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
325	110-220-000-016-50	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
326	110-220-000-017-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
327	110-220-000-019-00	Water View	Landowner comment resulted in review of water view along entire system	0.01698%	0.014833%
328	110-220-000-021-00	Water View	Landowner comment resulted in review of water view along entire system	0.01342%	0.011718%
329	110-220-000-022-10	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
330	110-250-000-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.01522%	0.013292%
331	110-250-000-018-00	Water View	Landowner comment resulted in review of water view along entire system	0.01510%	0.013189%
332	110-250-000-019-00	Water View	Landowner comment resulted in review of water view along entire system	0.01489%	0.013005%
333	110-250-000-020-00	Water View	Landowner comment resulted in review of water view along entire system	0.01479%	0.012920%
334	110-250-000-023-00	Water View	Landowner comment resulted in review of water view along entire system	0.01477%	0.012902%
335	110-250-000-026-00	Water View	Landowner comment resulted in review of water view along entire system	0.01477%	0.012902%
336	110-250-000-034-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
337	110-250-000-035-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
338	110-250-000-036-20	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
339	110-250-000-038-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
340	110-250-000-052-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
341	110-250-000-054-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
342	110-260-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01540%	0.013448%
343	110-260-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01794%	0.015669%
344	110-265-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%

Four Lakes Task Force  
Operations and Maintenance Assessment Roll  
Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

345	110-265-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
346	110-265-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
347	110-265-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
348	110-265-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01464%	0.012783%
349	110-265-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01464%	0.012783%
350	110-265-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01529%	0.01352%
351	110-265-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
352	110-265-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
353	110-265-000-010-00	Water View	Landowner comment resulted in review of water view along entire system	0.01494%	0.013052%
354	110-274-000-091-00	Water View	Landowner comment resulted in review of water view along entire system	0.01647%	0.014385%
355	110-280-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01924%	0.016808%
356	110-280-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01522%	0.013292%
357	110-280-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01491%	0.013021%
358	110-280-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01485%	0.012972%
359	110-280-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01411%	0.012327%
360	110-280-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01461%	0.012762%
361	110-280-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01617%	0.014121%
362	110-280-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01564%	0.013663%
363	110-280-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01868%	0.016316%
364	110-280-000-010-01	Water View	Landowner comment resulted in review of water view along entire system	0.02567%	0.022425%
365	110-320-000-028-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
366	110-320-000-029-00	Water View	Landowner comment resulted in review of water view along entire system	0.01507%	0.013164%
367	110-320-000-031-10	Water View	Landowner comment resulted in review of water view along entire system	0.01585%	0.013847%
368	110-320-000-034-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
369	110-320-000-035-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011661%
370	110-320-000-036-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011661%
371	110-340-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01758%	0.015360%
372	110-340-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01498%	0.013082%
373	110-340-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011661%
374	110-340-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011661%
375	110-340-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011661%
376	110-340-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01589%	0.013876%
377	110-340-000-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01498%	0.013082%
378	110-362-000-001-10	Water View	Landowner comment resulted in review of water view along entire system	0.01481%	0.012938%
379	110-362-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01529%	0.013555%
380	110-371-000-021-00	Water Depth	Depth measure to transition in front of property. New depth factor is 0.9	0.01146%	0.010595%
381	110-371-000-035-00	Base	Combo. Zero base for this parcel and assessed the other parcel 110-371-000-036-00	0.01140%	0.000000%
382	110-371-000-036-00	Base	Combo.Updated frontage factor to 0.924 by accounting for the combined frontage from the parcel 110-371-000-037-00 & 110-371-000-035-00	0.01274%	0.019485%
383	110-371-000-037-00	Frontage	Combo. Zero base for this parcel and assessed the other parcel 110-371-000-036-00	0.01140%	0.000000%
384	110-371-000-072-00	Frontage	Frontage amount was increased to account for upcoming combination	0.01140%	0.013110%
385	110-371-000-073-00	Base	Base factor adjusted to account for upcoming combination approved by township assessor	0.01140%	0.000000%
386	110-400-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01422%	0.012424%
387	110-400-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01451%	0.011180%
388	110-400-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01415%	0.010906%
389	110-400-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01415%	0.012360%
390	110-400-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01415%	0.012360%
391	110-400-000-006-10	Water View	Landowner comment resulted in review of water view along entire system	0.01541%	0.013463%
392	110-400-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01639%	0.014317%
393	110-410-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01479%	0.012920%
394	110-410-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
395	110-410-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
396	110-410-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
397	110-410-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
398	110-410-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01487%	0.012989%
399	110-410-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01487%	0.012989%
400	110-410-000-011-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
401	110-420-001-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
402	110-420-001-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01473%	0.012864%
403	110-420-001-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01348%	0.011772%
404	110-420-001-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
405	110-420-003-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
406	110-420-003-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01448%	0.012646%
407	110-420-003-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01459%	0.012740%
408	110-420-005-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01448%	0.012646%
409	110-420-005-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
410	110-420-005-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01436%	0.012541%
411	110-420-007-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
412	110-420-007-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01439%	0.012569%
413	110-420-007-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01445%	0.012621%
414	110-420-009-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
415	110-420-009-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01723%	0.015054%
416	110-420-011-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
417	110-420-011-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.02937%	0.025650%
418	110-430-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
419	110-430-001-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01515%	0.000000%
420	110-430-002-001-00	Water View/Frontage	Landowner comment resulted in review of water view along entire system. Frontage was increased to account for upcoming acquisition of adjacent road ROW	0.01448%	0.016315%
421	110-430-002-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01448%	0.012646%
422	110-430-002-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
423	110-430-003-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01367%	0.011943%
424	110-430-003-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01195%	0.010442%
425	110-430-003-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
426	110-430-003-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01207%	0.010546%
427	110-430-004-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01366%	0.011933%
428	110-430-004-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01315%	0.011486%
429	110-430-004-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01195%	0.010442%
430	110-430-005-001-11	Water View	Landowner comment resulted in review of water view along entire system	0.01380%	0.012050%
431	110-430-005-004-01	Water View	Landowner comment resulted in review of water view along entire system	0.01255%	0.010964%
432	110-430-005-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01195%	0.010442%

Four Lakes Task Force  
Operations and Maintenance Assessment Roll  
Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

433	110-430-006-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
434	110-430-006-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01328%	0.011602%
435	130-010-400-010-10	PID	Changed PID from 130-010-400-010-10 to 130-010-400-010-01 based on Gladwin Co. Equalization Updated frontage factor to 0.913 by accounting for the zeroed out frontage from the parcel 130-015-100-005-00		
436	130-015-100-004-00	Frontage		0.01491%	0.015577%
437	130-015-100-005-00	Base	Zero base for this parcel and assessed the other parcel 130-015-100-004-00	0.01328%	0.000000%
438	130-055-000-001-00	Base	Has two parcels 130-056-000-016-01 & 130-055-000-001-00 in two different subdivisions. The parcel 130-056-000-016-01 was given a zero base and the parcel 130-055-000-001-00 was assessed with frontage factor of 0.863	0.01342%	0.014724%
439	130-056-000-016-01	Base	Has two parcels 130-056-000-016-01 & 130-055-000-001-00 in two different subdivisions. The parcel 130-056-000-016-01 was given a zero base and the parcel 130-055-000-001-00 was assessed	0.01328%	0.000000%
440	130-077-000-061-01	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, Base of 1 to back lot Base of 0.5 with an access factor of 0.25	0.00996%	0.004265%
441	130-077-000-061-02	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, Base of 1 to back lot Base of 0.5 with an access factor of 0.25	0.00996%	0.004265%
442	130-077-000-061-03	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, Base of 1 to back lot Base of 0.5 with an access factor of 0.25	0.00996%	0.004265%
443	130-077-000-061-04	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, Base of 1 to back lot Base of 0.5 with an access factor of 0.25	0.00996%	0.004265%
444	130-077-000-061-05	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, Base of 1 to back lot Base of 0.5 with an access factor of 0.25	0.00996%	0.004265%
445	130-077-000-061-06	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, Base of 1 to back lot Base of 0.5 with an access factor of 0.25	0.00996%	0.004265%
446	130-077-000-061-07	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, Base of 1 to back lot Base of 0.5 with an access factor of 0.25	0.00996%	0.004265%
447	130-077-000-061-08	Base	Landowner frm 061-07 provided evidence that this is lot is split amongst 8 parcels, each with an interest and provide access to back lots. Back lots are not included in district. Access location was then converted from front lot, base benefit of 1 to back lot base benefit of 0.5	0.00996%	0.004265%
448	130-115-000-165-00	Base	Combo. Retired parent parcel. Zero base	0.01335%	0.015662%
449	130-115-000-166-00	Base	Combo. Combined 130-115-000-0165-00 & 130-115-000-0166-00 into 130-115-000-0165-01. Assess this parcel and zero -165-00. Updated frontage factor to 1.018	0.01335%	0.000000%
450	130-121-000-055-00	Base	Parcel cannot be combined and is parcel of adjacent parcel. Property owner provided evidence and parcel was changed to a 0 base factor	0.00797%	0.000000%
451	150-015-300-001-10	Water View	Landowner comment resulted in review of water view along entire system	0.02368%	0.020684%
452	150-015-300-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.02314%	0.020216%
453	150-015-300-004-04	Water View	Landowner comment resulted in review of water view along entire system	0.02118%	0.018499%
454	150-015-300-004-11	Water View	Landowner comment resulted in review of water view along entire system	0.01564%	0.013663%
455	150-015-300-004-12	Water View	Landowner comment resulted in review of water view along entire system	0.01564%	0.013663%
456	150-015-300-004-13	Water View	Landowner comment resulted in review of water view along entire system	0.01564%	0.013663%
457	150-015-303-004-02	Water View	Landowner comment resulted in review of water view along entire system	0.02196%	0.019183%
458	150-015-303-004-03	Water View	Landowner comment resulted in review of water view along entire system	0.01953%	0.017063%
459	150-016-400-001-01	Water View	Landowner comment resulted in review of water view along entire system	0.01206%	0.010533%
460	150-016-400-001-10	Water View	Landowner comment resulted in review of water view along entire system	0.01631%	0.014244%
461	150-016-400-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01573%	0.013744%
462	150-016-400-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01573%	0.013744%
463	150-016-400-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01684%	0.014709%
464	150-016-400-007-02	Water View	Landowner comment resulted in review of water view along entire system	0.01538%	0.013432%
465	150-016-400-007-03	Water View	Landowner comment resulted in review of water view along entire system	0.01896%	0.016557%
466	150-016-400-007-04	Water View	Landowner comment resulted in review of water view along entire system	0.01533%	0.013388%
467	150-016-400-007-10	Water View	Landowner comment resulted in review of water view along entire system	0.01609%	0.014058%
468	150-016-400-007-11	Water View	Landowner comment resulted in review of water view along entire system	0.01649%	0.014401%
469	150-021-100-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.03107%	0.027137%
470	150-022-200-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.02393%	0.020898%
471	150-022-300-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01426%	0.012452%
472	150-022-300-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01426%	0.012452%
473	150-022-300-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01504%	0.013136%
474	150-022-300-005-01	Water View	Landowner comment resulted in review of water view along entire system	0.01455%	0.012707%
475	150-022-300-005-02	Water View	Landowner comment resulted in review of water view along entire system	0.01630%	0.014239%
476	150-022-302-011-01	Water View	Landowner comment resulted in review of water view along entire system	0.01485%	0.012972%
477	150-022-400-002-01	Water View	Landowner comment resulted in review of water view along entire system	0.01416%	0.012370%
478	150-022-400-002-02	Water View	Landowner comment resulted in review of water view along entire system	0.01416%	0.012370%
479	150-023-300-002-03	Water View	Landowner comment resulted in review of water view along entire system	0.01626%	0.014201%
480	150-023-300-003-01	Water View	Landowner comment resulted in review of water view along entire system	0.02023%	0.017667%
481	150-023-300-003-02	Water View	Landowner comment resulted in review of water view along entire system	0.01371%	0.011972%
482	150-023-300-003-03	Water View	Landowner comment resulted in review of water view along entire system	0.01738%	0.015181%
483	150-023-300-003-04	Water View	Landowner comment resulted in review of water view along entire system	0.01554%	0.013578%
484	150-023-300-003-05	Water View	Landowner comment resulted in review of water view along entire system	0.01743%	0.015228%
485	150-023-300-003-06	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
486	150-023-300-003-07	Water View	Landowner comment resulted in review of water view along entire system	0.01680%	0.014672%
487	150-023-300-003-08	Water View	Landowner comment resulted in review of water view along entire system	0.02305%	0.020134%
488	150-023-300-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01517%	0.013248%
489	150-023-300-005-01	Water View	Landowner comment resulted in review of water view along entire system	0.01533%	0.013388%
490	150-023-300-005-02	Water View	Landowner comment resulted in review of water view along entire system	0.01534%	0.013396%
491	150-023-300-005-03	Water View	Landowner comment resulted in review of water view along entire system	0.01534%	0.013396%



Four Lakes Task Force  
Operations and Maintenance Assessment Roll  
Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

492	150-023-300-005-04	Water View	Landowner comment resulted in review of water view along entire system	0.01533%	0.013388%
493	150-023-300-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01772%	0.015474%
494	150-023-300-008-01	Water View	Landowner comment resulted in review of water view along entire system	0.01658%	0.014483%
495	150-023-300-008-02	Water View	Landowner comment resulted in review of water view along entire system	0.01474%	0.012879%
496	150-023-300-008-03	Water View	Landowner comment resulted in review of water view along entire system	0.01658%	0.014483%
497	150-023-300-008-04	Water View	Landowner comment resulted in review of water view along entire system	0.01656%	0.014462%
498	150-023-300-008-05	Water View	Landowner comment resulted in review of water view along entire system	0.01474%	0.012879%
499	150-023-400-008-00	Frontage	Updated frontage factor to 1.316 by accounting for the zeroed out frontage from the parcel 150-023-300-004-00	0.01126%	0.015268%
500	150-023-403-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01694%	0.014793%
501	150-024-300-004-00	Base	Zero base for this parcel and assessed the other parcel 150-023-400-008-00	0.01103%	0.000000%
502	150-026-101-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.02452%	0.021415%
503	150-026-101-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01771%	0.015466%
504	150-026-101-003-01	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
505	150-026-101-003-10	Water View	Landowner comment resulted in review of water view along entire system	0.01527%	0.013342%
506	150-026-101-004-02	Water View	Landowner comment resulted in review of water view along entire system	0.01502%	0.013119%
507	150-026-101-004-11	Water View	Landowner comment resulted in review of water view along entire system	0.01442%	0.012595%
508	150-026-101-004-12	Water View	Landowner comment resulted in review of water view along entire system	0.01444%	0.012614%
509	150-026-101-004-21	Water View	Landowner comment resulted in review of water view along entire system	0.01483%	0.012955%
510	150-026-101-004-22	Water View	Landowner comment resulted in review of water view along entire system	0.01783%	0.015572%
511	150-026-200-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.02454%	0.021434%
512	150-035-100-003-00	Frontage	Original frontage amount far exceeded what was there. Aerial photography was used to update frontage with assistance from landowner	0.02090%	0.019797%
513	150-070-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01361%	0.011892%
514	150-070-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011660%
515	150-070-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011660%
516	150-070-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011660%
517	150-070-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01337%	0.011675%
518	150-070-000-006-10	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011660%
519	150-070-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011660%
520	150-070-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01335%	0.011660%
521	150-070-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01321%	0.011542%
522	150-070-000-010-00	Water View	Landowner comment resulted in review of water view along entire system	0.01520%	0.013280%
523	150-070-000-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01524%	0.013315%
524	150-070-000-014-00	Water View	Landowner comment resulted in review of water view along entire system	0.01375%	0.012008%
525	150-070-000-015-00	Water View	Landowner comment resulted in review of water view along entire system	0.01351%	0.011799%
526	150-070-000-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.01315%	0.011486%
527	150-070-000-017-00	Water View	Landowner comment resulted in review of water view along entire system	0.01306%	0.011403%
528	150-070-000-018-00	Water View	Landowner comment resulted in review of water view along entire system	0.01543%	0.013474%
529	150-080-000-001-10	Water View	Landowner comment resulted in review of water view along entire system	0.01223%	0.010681%
530	150-080-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01229%	0.010732%
531	150-080-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01187%	0.010364%
532	150-080-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01185%	0.010350%
533	150-080-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01187%	0.010364%
534	150-080-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01187%	0.010364%
535	150-080-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01169%	0.010210%
536	150-080-000-010-00	Water View	Landowner comment resulted in review of water view along entire system	0.01146%	0.010011%
537	150-080-000-011-00	Water View	Landowner comment resulted in review of water view along entire system	0.01188%	0.010378%
538	150-080-000-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.00000%	0.000000%
539	150-080-000-013-00	Water View	Landowner comment resulted in review of water view along entire system	0.01132%	0.009888%
540	150-080-000-014-00	Water View	Landowner comment resulted in review of water view along entire system	0.01116%	0.009746%
541	150-080-000-015-00	Water View	Landowner comment resulted in review of water view along entire system	0.01116%	0.009746%
542	150-080-000-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.01119%	0.009776%
543	150-080-000-017-00	Water View	Landowner comment resulted in review of water view along entire system	0.01119%	0.009776%
544	150-080-000-018-00	Water View	Landowner comment resulted in review of water view along entire system	0.01229%	0.010732%
545	150-080-000-020-00	Water View	Landowner comment resulted in review of water view along entire system	0.01232%	0.010764%
546	150-110-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
547	150-110-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
548	150-110-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
549	150-110-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
550	150-110-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
551	150-110-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
552	150-110-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
553	150-110-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
554	150-110-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
555	150-110-000-010-00	Water View	Landowner comment resulted in review of water view along entire system	0.01407%	0.012292%
556	150-110-000-011-00	Water View	Landowner comment resulted in review of water view along entire system	0.01436%	0.015609%
557	150-110-000-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01436%	0.000000%
558	150-110-000-013-00	Water View	Landowner comment resulted in review of water view along entire system	0.01407%	0.000000%
559	150-110-000-014-00	Water View	Landowner comment resulted in review of water view along entire system	0.01407%	0.012292%
560	150-110-000-015-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
561	150-110-000-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.01549%	0.013532%
562	150-110-000-017-00	Water View	Landowner comment resulted in review of water view along entire system	0.01549%	0.013532%
563	150-110-000-020-01	Access Factor	Fixed typo of access factor from 25 to 0.25	0.00830%	0.004265%
564	150-110-000-035-50	Water View	Landowner comment resulted in review of water view along entire system	0.02325%	0.020312%
565	150-110-000-039-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
566	150-110-000-040-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
567	150-110-000-041-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
568	150-110-000-042-00	Water View	Landowner comment resulted in review of water view along entire system	0.01442%	0.012595%
569	150-110-000-043-00	Water View	Landowner comment resulted in review of water view along entire system	0.01475%	0.012883%
570	150-110-000-044-00	Water View	Landowner comment resulted in review of water view along entire system	0.01466%	0.012804%
571	150-110-000-045-00	Water View	Landowner comment resulted in review of water view along entire system	0.01466%	0.012804%
572	150-110-000-048-10	Base	Zero base since the parcel isnt technically in the subdivision	0.00415%	0.000000%
573	150-120-000-001-00	Water View	Landowner comment resulted in review of water view along entire system	0.01270%	0.011094%
574	150-120-000-002-00	Water View	Landowner comment resulted in review of water view along entire system	0.01270%	0.011094%
575	150-120-000-003-00	Water View	Landowner comment resulted in review of water view along entire system	0.01270%	0.011094%
576	150-120-000-004-00	Water View	Landowner comment resulted in review of water view along entire system	0.01270%	0.011094%
577	150-120-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01263%	0.011031%
578	150-120-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01255%	0.010964%
579	150-120-000-007-00	Water View	Landowner comment resulted in review of water view along entire system	0.01255%	0.010964%
580	150-120-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01259%	0.010998%





Four Lakes Task Force  
 Operations and Maintenance Assessment Roll  
 Appendix B - Summary of Changes as Result of the June 29, 2022 Hearing

763	150-320-000-004-01	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
764	150-320-000-005-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
765	150-320-000-006-00	Water View	Landowner comment resulted in review of water view along entire system	0.01501%	0.013110%
766	150-320-000-008-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
767	150-320-000-009-00	Water View	Landowner comment resulted in review of water view along entire system	0.01698%	0.014833%
768	150-320-000-012-00	Water View	Landowner comment resulted in review of water view along entire system	0.01399%	0.012220%
769	150-320-000-013-00	Water View	Landowner comment resulted in review of water view along entire system	0.01628%	0.014221%
770	150-320-000-015-00	Water View	Landowner comment resulted in review of water view along entire system	0.01445%	0.012621%
771	150-320-000-016-00	Water View	Landowner comment resulted in review of water view along entire system	0.01445%	0.012621%
772	150-320-000-017-00	Water View	Landowner comment resulted in review of water view along entire system	0.01475%	0.012883%